INDEX FOR VOLUME 62

Compiled by Melissa R. Schneider

A

Abandonment: 745–750
Abies alba, see Fir, silver
Abies amabilis, see Fir, Pacific silver
Abies balsamea, see Fir, balsam
Abies concolor, see Fir, white
Abies grandis, see Fir, grand
Abies lasiocarpa, see Fir, subalpine
Abies magnifica, see Fir, red
Acacia: 867, 869
Acacia choriophylla, see Cinnecord
Acaciai spp., *see* Acacia
Accipiter cooperii, see Hawk, Cooper's
Accipiter gentilis, see Goshawk, northern
Accipiter nisus, see Hawk, sparrow
Accipiter nisus, see Sparrowhawk, European
Accipiter spp., *see* Accipiter
Accipiter striatus, see Hawk, sharp-shinned
Accipiters: 338
Acer macrophyllum, see Maple, bigleaf
Acer negundo, see Maple, boxelder
Acer pensylvanicum, see Maple, striped
Acer rubrum, see Maple, red
Acer saccharinum, see Maple, silver
Acer saccharum, see Maple, sugar
Acer spicatum, see Maple, mountain
Acer spp., *see* Maple
Achillea spp.: 239
Achnatherum plendens: 60
Acorn, *see* Mast
Actitis macularia, see Sandpiper, spotted
Activity budget: 761
  activity budget of white-faced whistling ducks during winter and spring in northern Kwazulu-natal, South Africa, 1119–1126
Adams, Layne G., and Bruce W. Dale. Reproductive performance of female Alaskan caribou, 1184–1195
Adansonia digitate, see Baobab tree
Adaptive kernel home range: 174–177, 208, 736, 740
Adaptive management: 1409
  rabies control: an adaptive management approach, 622–629
Adenostoma fasciculatum, see Chamise
Aegolius acadicus, see Owl, saw-whet
Aepyceros melampus, see Impala
Aerial survey: 185, 189, 215, 269, 286–291, 919, 921, 968, 1055–1065
  alternative approaches to aerial censusing of elk, 1046–1055
Aeronautes spp., *see* Swifts
Aesculus californicus, see Buckeye, California
Africa: 604, 697, 1119–1126, 1168, 1170, 1174–1176
Afton, Alan D., *see* Cox, Robert R., Jr.
Agaonidae, *see* Wasp, tropical fig
Age ratios:
  the effect of multiple brooding on age ratios of quail, 540–549
Age-structure: 779–792, 1279, 1281, 1283
Agelaius ruficapillus, see Blackbird, chestnut-capped
Ager, Alan A., *see* Johnson, Bruce K.
Agriculture: 940–945
  effects of agricultural activities and hunting on home ranges of female white-tailed deer, 280–285
Agropogon cristatum, see Grass, crested wheat-
Agropyron elongatum, see Grass, tall wheat-
Agropyron intermedium, see Grass, intermediate
Aigner, Paul A., William M. Block, and Michael L. Morrison. Effect of firewood harvesting on birds in a California oak-pine woodland, 485–496
Aimophila aestivalis, see Sparrow, Bachman's
Aimophila ruficeps, see Sparrow, rufous-crowned
Aircraft:
  dabbling duck behavior and aircraft activity in coastal North Carolina, 1127–1134
  do black ducks and wood ducks habituate to aircraft disturbance?, 1135–1142
  effects of jet aircraft on mountain sheep, 1246–1254
  responses of caribou to overflights by low-altitude jet aircraft, 752–766
Aix sponsa, see Duck, Wood
Alabama: 1503, 1533–1543
Alaska: 183, 236–241, 255, 258, 380–386, 446–458, 581, 670, 674–677, 734–743, 752, 753, 756, 759–761, 764, 779–788, 968–977, 1099–1102, 1103–1109, 1110–1117, 1184–1194, 1313–1320, 1359–1372, 1382, 1521, 1529
Alauda arvensis, see Skylark, Eurasian
Alberta: 168, 182, 601, 683–686, 746–749, 1011–1019, 1272
Alces alces, see Moose
Alces alces cameloides, see Moose
Alder: 12, 239, 462
Alder, red: 1207
Alder, white: 848
Alectoria sarmentosa, see Witch's hair
Alectoris chukar, see Chukar
Alfalfa: 41, 155, 164, 281, 911, 1029, 1076–1084
Allee effect: 686, 832
Alligator River National Wildlife Refuge: 1566–1572
Allozyme analyses: 684

Allyl sulfide: 400–403
Alnus incana, see Alder
Alnus rhombifolia, see Alder, white
Alnus rubra, see Alder, red
Alopecurus aequalis: 1534
Alopex lagopus, see Fox, arctic
Alpaca: 29–30
Alt, Gary L., *see* Diefenbach, Duane R.
——, *see* Harshyne, Wendi A.
Ambrosia dumosa, see Bursage, white
Ambrosia psilostachya, see Ragweed, western
Ambystoma maculatum, see Salamander, spotted
Ambystoma opacum, see Salamander, marbled
Amelanchier utahensis, see Serviceberry, Utah
Ammodramus hanslowii, see Sparrow, Henslow's
Ammodramus leconteii, see Sparrow, Le Conte's
Ammonia: 400–404
Amorpha canescens, see Lead plant
Amphibian:
amphibian movements in response to forest edges, roads, and streambeds in southern New England, 584–589
Anas acuta, see Pintail, northern
Anas americana, see Wigeon, American
Anas bahamensis, see Pintail, white-cheeked
Anas clypeata, see Shoveler, northern
Anas crecca, see Teal, green-winged
Anas cyanoptera, see Teal, cinnamon
Anas discors, see Teal, blue-winged
Anas penelope, see Wigeon, Eurasian
Anas platyrhynchos, see Duck, mallard
Anas rubripes, see Duck, American black
Anas streppa, see Gadwall
Andersen, David E., *see* McLeod, Mary Anne
———, *see* Plumpton, David L.
Anderson, Charles R., Jr., David S. Moody, Bruce L. Smith, Frederick G. Lindzey, and Robert P. Lanka. Development and evaluation of sightability models for summer elk surveys, 1055–1066
Anderson, John R., Jr., *see* Palmer, William E.
Anderson, Stanley H., *see* Smith, Bruce L.
Andropogon gerardii, see Bluestem, big
Andropogon hallii, see Bluestem, sand
Andropogon spp., *see* Broomsedge
Andropogon virgatum, see Sedge, broom-
Aneliema kiesak, see Dayflower, Asiatic
Angibault, Jean-Marc, *see* Reby, David
Animal damage control:
effectiveness of several oils to reduce hatchability of chicken eggs, 395–398
effectiveness of volatile irritants at reducing consumption of eggs by captive coyotes, 399–405
potential risk to ring-necked pheasants from application of toxic bait for blackbird control in South Dakota, 388–394
Animal Noise Monitor: 752, 755–757
Annelida: 566
Anser caerulescens atlantica, see Geese, greater snow
Anser caerulescens, see Geese, lesser snow
Anser cygnoides, see Geese, swan
Ant, arboreal: 509–516
Ant, black: 13–14, 17, 20
Ants, carpenter: 11, 13–14, 17, 19–20
Ant, fire: 511–512
Ants, red wood: 13–14, 18–19
Antelope, pronghorn: 266, 369, 750, 763, 1021, 1266, 1276
Anthony, Robert G., *see* Dellasala, Dominick A.
Anthoxanthum odoratum, see Sweet vernal
Anthraquinone:
anthraquinone formulation (Flight Control™) shows promise as avian feeding repellent, 1558–1564
Anthrax: 978
Anthus novaeseelandiae, see Pipits
Antilocarpa americana, see Antelope, pronghorn
Antler: 262–267
Antrozous pallidus, see Bat, pallid
Apalachicola National Forest: 509–516
Aphelocoma californica, see Jay, western scrub-
Aphodius spp., *see* Beetle, dung
Aplodontia rufa, see Beaver, mountain
Aquila audax, see Eagle, wedge-tailed
Aquila chryaetos, see Eagle, golden
Arachnida: 512, 566
Aralia nudicaulis, see Sarsaparilla
Araneida: 512
Arbutus menziesii, see Madrone
Arbutus unedo: 1087
Arceuthobium vaginatum, see Mistletoe, dwarf
Archilochus colubris, see Hummingbird, ruby-throated
Arctic National Wildlife Refuge: 256, 258, 734–735, 737, 739, 742
Arctostaphylos spp., *see* Manzanita
Arctostaphylos uva-ursi, see Bearberry
Ardea heroldias, see Heron, great blue
Arisaema triphyllum, see Jack-in-the-pulpit
Aristida spp., *see* Threeawn
Aristida stricta, see Grass, wire-
Arizona: 554, 612–619, 654, 864–871, 1382–1383, 1506, 1510
Arkansas Ozarks: 1411–1417
Arkansas:
short-term effects of understory and overstory management on breeding birds in Arkansas oak-hickory forests, 1411–1417
Armillaria ostoyae, see Armillaria root disease
Armillaria root disease: 1349–1357
Aronia melanocarpa, see Chokeberry, black
Arrowhead, common: 564, 566
Artemisia arbuscula, see Sagebrush, low
Artemisia cana, see Sagebrush, silver
Artemisia filifolia, see Sagebrush, sand
Artemisia frigida, see Sagebrush, fringed
Artemisia spp., *see* Sagebrush
Artemisia tridentata, see Sagebrush, big
Artificial lures: 105
Artificial nest: 163–169

effects of human disturbance on success of artificial duck nests, 1142–1146
predation of artificial nests in hardwood fragments enclosed by pine and agricultural habitats, 1438–1442
validating the use of artificial nests in predation experiments, 925–932
Artois, Marc, *see* Fromont, Emmanuelle
Arundinaria gigantea, see Switchcane
Asclepias spp., *see* Milkweed
Ash, black: 1420, 1431
Ash, green: 281, 940, 1322, 1373, 1376, 1386, 1431
Ash, mountain: 722, 1167, 1322, 1431
Ash, white: 85, 251–252, 530, 1322, 1431
Asia: 286, 1011
Aspen: 12, 92, 199, 251–252, 597, 613, 720, 754, 794, 799, 1021, 1056, 1167, 1336, 1350–1357, 1360, 1386, 1419–1420, 1425–1426
secondary use of aspen cavities by tree-roosting big brown bats, 603–611
Asphyxiation: 660
Aster: 315
Aster, golden: 350
Aster spp., *see* Aster
***Astragalus galactites*:** 60
Athyrium flix-femina, see Fern, lady
Atriplex polycarpa, see Saltbush, desert
Atriplex spinerifera, see Saltbush, spiny
Augustine, David J., and Peter A. Jordan. Predictors of white-tailed deer grazing intensity in fragmented deciduous forests, 1076–1085
———, and Samuel J. McNaughton. Ungulate effects on the functional species composition of plant communities: herbivore selectivity and plant tolerance, 1165–1183 - Invited paper
Australia: 766–771, 1307–1312
Automobile:
effectiveness of wildlife warning reflectors in reducing deer-vehicle collisions: a behavioral study, 1094–1099
Availability:
evaluation of resource selection methods with different definitions of availability, 793–801
Avena barbata, see Oats
Avens, yellow: 1021
Avery, Michael L., Mary Jo Kenyon, George M. Linz, David L. Bergman, David G. Decker, and John S. Humphrey. Potential risk to ring-necked pheasants from application of toxic bait for blackbird control in South Dakota, 388–394
Avian pox: 307
Avicennia germinanas, see Mangrove, black
Aviecide: 389
Aythya affinis, see Scaup, lesser
Aythya americana, see Redhead
Aythya fuligula, see Duck, tufted
Aythya spp., *see* Duck, diving
Aythya valisineria, see Canvasback
***Azolla caroliniana*:** 1534

B

B. F. Grant Memorial Forest: 940
Baagøe, Hans J., *see* Ujvári, Marianne
Backensto, Stacia A., *see* Ortega, Catherine P.
Bacon, Philip, *see* Massei, Giovanna
Badger: 153, 155, 643, 1301, 1303
Badlands National Park: 1277
Baeolophus inornatus, see Titmouse, plain
Bahamas: 171–172
Bait piles: 731–732
Baker, William L., *see* McClean, Seth A.
Ballachey, Brenda E., *see* Udevitz, Mark S.
Ballard, Warren B., *see* Whitlaw, Heather A.
Bandicoot, eastern barred: 826
Banff National Park: 683
Banks, Peter B., Christopher R. Dickman, and Alan E. Newsome. Ecological costs of feral predator control: foxes and rabbits, 766–772
Baobab tree: 604
Baptisia spp., *see* Indigo
Barber, Jeff D., Ernie P. Wiggers, and Rochelle B. Renken. Nest-site characterization and reproductive success of Mississippi kites in the Mississippi River floodplains, 1373–1378
Barley: 125, 199
Barry, Ronald P., *see* Rosing, Michael N.
Bartmann, Richard M., *see* White, Gary C.
Basswood, American: 1076–1077, 1386
Bat:
short-term effects of small-scale habitat disturbance on activity by insectivorous bats, 996–1003
Bat, Allen's lappet-browed: 12, 614, 619
Bat, Arizona occult: 612, 614
Bat, big brown: 600, 612, 614, 998
effects of interindividual variation in echolocation calls on identification of big brown and silver-haired bats, 1003–1010
secondary use of aspen cavities by tree-roosting big brown bats, 603–611
Bat, Indiana: 604
Bat, leaf-nosed: 604
Bat, little brown: 601, 604, 609, 998
Bat, long-legged, *see* Myotis, long-legged
Bat, orange horseshoe: 604
Bat, pallid: 612, 614
Bat, silver-haired: 600–601, 998
effects of interindividual variation in echolocation calls on identification of big brown and silver-haired bats, 1003–1010
Bat, western long-eared, *see* Myotis, long-eared
Bat, Yuma, *see* Myotis, Yuma
Bay, California: 691
Bay, red: 73
Bayesian analysis: 26, 28, 31–32, 806, 1576
Bear, black: 226, 237, 534–535, 692, 700, 1185, 1266, 1276
analysis of error from cementum annuli age esti-

mates of known age Pennsylvania black bears, 1281–1291
modeling and evaluation of ear tag loss in black bears, 1292–1300
movements of female black bears in relation to landscape vegetation type in southern Québec, 718–727
predicting body condition of bears via two field methods, 406–409
the influence of a small sanctuary on survival rates of black bears in North Carolina, 727–734
Bear, brown: 382, 677, 742, 1234, 1276, 1281, 1285
predicting body condition of bears via two field methods, 406–409
Bear, grizzly: 821, 837, 1185, 1276
grizzly bears and calving caribou: what is the relation with river corridors?, 255–261,
Bear, polar: 1234, 1281, 1286
Bear Valley National Wildlife Refuge: 322
Bearberry: 323
Beaver: 9, 149, 664, 1317
Beaver, mountain: 1210
Beavers, Sallie C., and Fred L. Ramsey. Detectability analysis in transect surveys, 948–957
Becker, Earl F., Michael A. Spindler, and Timothy O. Osborne. A population estimator based on network sampling of tracks in the snow, 968–977
Beckmannia syzigachne: 1534
Bee, carpenter: 511, 513
Beech: 1094
Beech, American: 113, 116, 251–252, 270, 530, 608, 720–724, 1167, 1169, 1431
Beetle, bark: 1350, 1366–1367
Beetle, Douglas-fir: 640
Beetle, dung: 1086, 1091–1092
Beetle, long horn: 13, 18
Beetle, mountain pine: 1349–1356, 1367
Beetle, spruce: 1366
Beetle, wood-boring: 1359, 1365, 1367, 1368
Behl, Michael J., *see* Gustafson, Laura L.
Beissinger, Steven R. and M. Ian Westphal. On the use of demographic models of population viability in endangered species management, 821–841 - Invited paper.
Belant, Jerrold L., *see* Dolbeer, Richard A.
Bélisle, Francis, *see* Labonté, Johanne
Bellwort, large-flowered: 1078, 1080
Ben-David, Merav, *see* Rosing, Michael N.
Benzene: 410–420
Berberis nervosa, see Cascade hollygrape
Berberis repens, see Mahonia, creeping
Berchemia scandens, see Supplejack, Alabama
Berdeen, James B., and David G. Krementz. The use of fields at night by wintering American woodcock, 939–947
Berg, William E., *see* Sargeant, Glean A.
Bergenia crassifolia: 60
Bergman, David L., *see* Avery, Michael L.
Beringer, Jeff, Steven G. Seibert, Steve Reagan, Allan J. Brody, Michael R. Pelton, and Larry D. Vangilder. The influence of a small sanctuary on survival rates of black bears in North Carolina, 727–734
Bermudez, Alex J., *see* Schulz, John H.
Berries, cloud-: 383
Berries, salmon: 239, 383
Betts, Burr J. Effects of interindividual variation in echolocation calls on identification of big brown and silver-haired bats, 1003–1010
Betula alleghaniensis, see Birch, yellow
Betula fontinalis, see Birch, river
Betula glandulosa, see Birch, shrub
Betula nigra, see Birch, water
Betula papyrifera, see Birch, paper
Betula pendula, see Birch, European
Betula pendula, see Birch, silver
Betula platyphyla: 60
Betula populifolia, see Birch, gray
Betula pubescens, see Birch, European white
Betula spp., *see* Birch spp.
Bienville National Forest: 903, 906–907
Biggins, Dean E., Jerry L. Godbey, Louis R. Hanebury, Bob Luce, Paul E. Marinari, Marc R. Matchett, and Astrid Vargas. The effect of rearing methods on survival of reintroduced black-footed ferrets, 643–653
Bildstein, Keith L. Long-term counts of migrating raptors: a role for volunteers in wildlife research, 435–445 - Invited paper
Bioaccumulation: 497–507
Bioelectrical impedance analysis: 406–408
Biological significance: 802, 806, 868, 1199–1202
Birch, European: 85, 88
Birch, European white: 516
Birch, gray: 251–252
Birch, paper: 251–252, 530, 720, 754, 794, 971, 1167, 1169, 1336, 1350–1357, 1360, 1386, 1420
Birch, river: 926, 929
Birch, shrub: 754
Birch, silver: 1169
Birch spp.: 12, 270, 1185
Birch, water: 940
Birch, yellow: 85, 251–252, 530, 720, 1317, 1336, 1386
Birds, nongame:
bird communities of early-successional burned and logged forest, 1418–1430
breeding season bird use of recently restored versus natural wetlands in New York, 1480–1490
effect of stand width and adjacent habitat on breeding bird communities in bottomland hardwoods, 72–83
Bishop, Julie D., *see* Gill, Elaine L.
Bison: 315, 750, 978, 1169
aging bison by the incremental cementum growth layers in teeth, 1276–1280
Bison bison, see Bison
Bitterbush, antelope: 215

Bittern, American: 1423–1426, 1482, 1490
Bittern, lesser: 1482
Bitterroot National Forest: 1217–1226
Blackberry: 315, 381, 1324, 1431
Blackbird: 1461, 1558–1564
Blackbird, Brewer's: 467–468, 490
Blackbird, chestnut-capped: 873
Blackbird, Eurasian: 46
Blackbird, red-winged: 388–389, 393, 490, 882, 1141, 1424–1426, 1490
Blackbrush: 99
Blackwell, Bradley F., *see* Dolbeer, Richard A.
Bladderpod: 708
Blarina brevicauda, see Shrew, shorttail
Blechnum spicant, see Fern, deer
Block, William M., *see* Aigner, Paul A.
Bloodroot: 1078, 1080
Blueberry, Alaska: 238–239
Blueberry, early: 238–239, 350, 1324
Blueberry, highbush: 85–86, 88–89, 90, 91, 1324
Bluebird, eastern: 1423–1426
Bluebird, mountain: 479
Bluebird, western: 479, 490
Bluestem, big: 281, 315, 350, 1301, 1566
Bluestem, little: 281, 315, 350, 1566
Bluestem, sand: 319, 350
Bluhn, Cynthia, *see* Yerkes, Tina
Boal, Clint W., and R. William Mannan. Nest-site selection by Cooper's hawks in an urban environment, 864–871
Boar, wild:
fallow deer and wild boar pellet group disappearance in a Mediterranean area, 1086–1094
Bobcat: 307, 309, 536, 707–710, 714–716, 763, 1223, 1236–1244, 1276, 1301
a comparison of bobcat and coyote predation on lambs in north-coastal California, 700–706
Bobolink: 320, 461, 467–468, 1490,
Body mass: 124–131, 214, 218, 221–222, 299, 302, 406–408, 416, 557–558, 560, 746, 762, 772–776, 905, 909, 1066–1074, 1108, 1124, 1137–1138, 1147–1150, 1184–1192, 1196, 1198, 1200, 1281, 1309–1311, 1460, 1462–1463, 1466–1477, 1503, 1514–1515, 1518, 1577
Body size: 125, 220
Boiga irregularis, see Snake, brown tree
Boise National Forest: 1313
Bombycilla cedrorum, see Waxwing, cedar
Bonasa umbellus, see Grouse, ruffed
Bonasia bonasia, see Hen, northern hazel
Bordage, Daniel, Nathalie Plante, André Bourget, and Sylvain Paradis. Use of ratio estimators to estimate the size of common eider populations in winter, 185–192
Borrichia frutescens, see Ox-eye, sea
Botaurus lentiginosus, see Bittern, American
Bottleneck effect: 652
Bourget, André, *see* Bordage, Daniel
Bouteloua curtipendula, see Grama, sideoats
Bouteloua eriopoda, see Grama, black
Bouteloua gracilis, see Grama, blue
Boyd, Diane K., *see* Pilgrim, Kristine L.
Brachyramphus brevirostris, see Murrelet, Kittlitz's
Brachyramphus marmoratus, see Murrelet, marbled
Brachystegia: 1168, 1170, 1176
Bramble, trailing: 236–237, 239
Brant, black: 1145
migration patterns of black brant in Boundary Bay, British Columbia, 1522–1532
Branta bernicla nigricans, see Brant, black
Branta bernicla, see Geese, Brant
Branta canadensis, see Geese, Canada
Brawn, Jeffrey D, *see* Westemeier, Ronald L.
Breeding Bird Survey: 443, 895–901, 1387, 1443
Briar, sensitive: 315
Brigham, R. Mark, *see* Kalcounis, Matina C.
Bright, J. B., *see* Sovada, Marsha A.
Bringham, R. Mark, *see* Grindal, Scott D.
Brisban, I. Lehr, Jr., *see* Kennamer, Robert A.
British Columbia: 236, 237, 448, 456–457, 518–527, 600, 602, 608–609, 619, 630–631, 670, 683–684, 997–1001, 1196–1205, 1319, 1349–1358, 1522–1532
Brody, Allan J., *see* Beringer, Jeff
Brome, cheatgrass: 164
Brome, red: 374, 708
Brome, smooth: 164
Bromley, Peter T., *see* Palmer, William E.
Bromus diandrus, see Ripgutt
Bromus inermis, see Grass, brome
Bromus inermis, see Brome, smooth
Bromus madritensis rubens, see Brome, red
Bromus spp., *see* Grass, cheat-
Bromus tectorum, see Brome, cheatgrass
Broomsedge: 355
Brown, Stephen C., and Charles R. Smith. Breeding season bird use of recently restored versus natural wetlands in New York, 1480–1490
Browntop: 46
Brucella abortus, see Brucellosis
Brucellosis: 978
Bryant, Larry D., *see* Johnson, Bruce K.
Bryophyte: 85
Bubo virginianus, see Owl, great horned
Buckbrush: 315, 486, 613, 691
Buckeye, California: 486
Buckwheat: 374
Budworm, spruce: 1418
Buhnerkempe, John E, *see* Westemeier, Ronald L.
Bulrush: 566, 570
Bulrush, salt marsh: 571–572, 575–576, 578
Bulrush, tufted: 1229
Bunchberry: 236–240
Bunting, indigo: 1411, 1414–1416, 1422–1426, 1491
Bunting, Lazuli: 491
Bureau of Land Mangement: 363–368, 551–552, 1399
Burger, Joanna, *see* Kennamer, Robert A.

Burger, Loren W., *see* Miller, Darren A.
Burreed: 1487
Bursage, white: 99
Bustard, great: 59
Buteo jamaicensis, see Hawk, red-tailed
Buteo lagopus, see Hawk, rough-legged
Buteo lineatus, see Hawk, red-shouldered
Buteo platypterus, see Hawk, broad-winged
Buteo regalis, see Hawk, ferruginous
Butler, Malcolm G., *see* Cox, Robert R., Jr.
Butler, Michael A., and Jay J. Rotella. Validity of using artificial nests to assess duck-nest success, 163–171
Butorides striatus, see Heron, green-backed
Butterfield, Bart R., *see* Unsworth, James W.
Butterner, William A., *see* Winstanely, Roy K.
Buttonwood: 175
Buzzard, honey: 338

C

Cabbage, skunk: 237, 239–240
Cadwell, Larry L., see Heilmann, Theodore J.
Calamagrostis rubscens, see Grass, pine-
Calidris alpina, see Dunlin
California: 240, 322–323, 337–338, 373–378, 443, 446, 485–490, 590, 597, 669, 686, 690–695, 701, 707, 788, 842–852, 1272, 1382, 1398, 1404, 1406, 1408, 1518, 1521, 1529
Callipepla californica, see Quail, California
Callipepla gambelli, see Quail, Gambel's
Calocedrus decurrens, see Cedar, incense
Calypte anna, see Hummingbird, Anna's
Camera, remote: 1217–1226
Campa, Henry, III, *see* Van Deelen, Timothy R.
Campbell, Kevin L., Gillian L. Weseen, and Robert A. MacArthur. Seasonal changes in water flux, forage intake, and assimilated energy of free-ranging muskrats, 292–299
Campephilus principalis, see Woodpecker, ivory-billed
Camponotus spp., *see* Ants, Carpenter
Canada: 7, 9, 140, 164, 225, 293, 363, 439, 443, 596, 609, 622, 631, 683, 686, 718–720, 734–735, 738–741, 743, 746, 997–1001, 1011–1019, 1142–1144, 1196–1205, 1335–1340, 1544
Canine distemper: 625, 643, 654, 985
Canis familiaris, see Dingo
Canis latrans, see Coyote
Canis lupus lycaon, see Wolf, eastern timber
Canis lupus, see Wolf, gray
Canis mesomelas, see Jackals, black-backed
Canis rufus, see Wolf, red
Canonical correspondence analyses: 1419
Canopy cover: 13, 17, 19, 240, 478, 598, 614, 664–671, 794, 847–852, 887–892, 989, 1261, 1379, 1381–1383, 1408, 1432–1433
Canvasback: 37, 1103, 1452
  productivity and population increase of subarctic breeding canvasbacks, 179–184
  shot prevalences and diets of diving ducks five years after ban on lead shotshells at Catahoula Lake, Louisiana, 564–569
Caoragyps atratus, see Vulture, black
Capercaillie: 168, 303, 930
Capercaillie, black-billed: 62
Capreolus capreolus, see Deer, roe
Capsaicin: 400–403
Captive-reared: 192–197
  hand-rearing corvids for reintroduction: importance of feeding regime, nestling growth, and dominance, 1460–1479
  the effect of rearing methods on survival of reintroduced black-footed ferrets, 643–653
***Caragana microphylla*:** 60
Cardenas, Manuel, *see* Saiwana, Lewis
Cardinal, northern: 72, 76–77, 79–81, 1440
Cardinalis cardinalis, see Cardinal, northern
Carduelis chloris, see Finch, green-
Carduelis pinus, see Siskin, pine
Carduelis psaltria, see Goldfinch, lesser
Carduelis tristis, see Goldfinch, American
Caretta caretta, see Turtle, loggerhead
***Carex duriuscola*:** 60
***Carex enervis*:** 60
Carex spp., *see* Sedge
Cargenlutti, Bruno, *see* Reby, David
Caribou: 214, 220, 734, 749, 1169, 1252, 1276
  grizzly bears and calving caribou: what is the relation with river corridors?, 255–261
  reproductive performance of female Alaskan caribou, 1184–1195
  responses of caribou to overflights by low-altitude jet aircraft, 752–766
  detection of early pregnancy in caribou: evidence for embryonic mortality, 1066–1075
Caribou, arctic: 1276
  detection of early pregnancy in caribou: evidence for embryonic mortality, 1066–1075
  reproductive performance of female Alaskan caribou, 1184–1195
Caribou, Dawson: 236, 1276
Caribou, woodland: 753, 1276
  evaluation of a mark-resighting technique for woodland caribou in Newfoundland, 1227–1235
Carpodacus mexicanus, see Finch, house
Carthartes aura, see Vulture, turkey
Carya ovata, see Hickory, shagbark
Carya spp., *see* Hickory
Carya texana, see Hickory, black
Carya tomentosa, see Hickory, mockernut
Cascade hollygrape: 323
Castanopsis chrysophylla, see Chinkapin, golden
Castor canadensis, see Beaver
Cat, domestic: 45–48, 51–56
  epidemiology of feline leukemia virus (FeLV) and structure of domestic cat populations, 978–988
Cat, wild: 769

epidemiology of feline leukemia virus (FeLV) and structure of domestic cat populations, 978–988
Catbird, gray: 1423–1426, 1490
Catbriar: 1324
Catharus fuscescens, see Veery
Catharus guttatus, see Thrush, hermit
Catharus ustulatus, see Thrush, Swainson's
Catoptrophorus semipalmatus, see Willet
Cattail: 292–293, 297–298, 388, 1487–1488
Cattle: 315, 462, 958–966, 978, 1072, 1077, 1173, 1175
songbird community composition and nesting success in grazed and ungrazed pinyon-juniper woodlands, 474–484
Caulophyllum thalictroides, see Cohosh, blue
Ceanothus cuneatus, see Buckbrush
Ceanothus fendleri, see Buckbrush
Ceanothus prostratus, see Ceanothus, squawcarpet
Ceanothus, snowbrush: 323
Ceanothus, squawcarpet: 323
Ceanothus veluntinus, see Ceanothus, snowbrush
Cedar: 867
Cedar, Alaska: 237, 239
Cedar, bay: 173
Cedar, eastern red-: 1322–1323
Cedar, incense: 322–323, 325, 1399
Cedar Island National Refuge: 1127
Cedar, northern white, *see* Cedar, white
Cedar, Port-Orford: 1402
Cedar, salt: 867
Cedar, western red-: 237–239, 240, 519, 599, 601, 608, 997, 1350–1357, 1398–1399, 1402, 1404
Cedar, white: 135, 142, 206, 211, 250–252, 1169, 1336, 1386, 1420
Cedrus spp., *see* Cedar
Celtis occidentalis, see Hackberry
Cementogenesis: 675
Cementum annuli: 728
aging bison by the incremental cementum growth layers in teeth, 1276–1280
analysis of error from cementum annuli age estimates of known age Pennsylvania black bears, 1281–1291
evaluation of age determination techniques for gray wolves, 674–682
Centrocerus urophasianus, see Grouse, sage
Cerambycidae spp., *see* Beetles, long horn
Ceratophyllum demersum, see Coontail
Cercidium spp., *see* Palo verde
Cercocarpus montanus, see Mahogany, true mountain-
Certhia americana, see Creeper, brown
Cervis elaphus, see Elk
Cervus axis, see Deer, axis
Cervus elaphus nelsoni, see Elk, Rocky Mountain
Cervus elaphus roosevelti, see Elk, Roosevelt
Cervus elaphus, see Deer, red
Cervus nippon, see Deer, Japanese sika
Cervus unicolor, see Deer, samba
Ceryle alcyon, see Kingfisher, belted
Chaetodipus intermedius, see Mouse, rock pocket
Chaetodipus penicillatus, see Mouse, desert pocket
Chaetura pelagica, see Swift, chimney
Chaetura vauxi, see Swift, Vaux's
Chaffinches: 46, 873
Challis National Forest: 1313
Chamaea fasciata, see Tit, wren
Chamaecyparis lawsoniana, see Cedar, Port-Orford
Chamaecyparis nootkatensis, see Cedar, Alaska
Chamaedaphne calyculata, see Letherleaf
Chambers, Carol L., *see* Cole, Elizabeth C.
Chamise: 691
Chapman, Brian R., *see* Kilgo, John C.
———, *see* Sargent, Robert A.
Charadrius melodus, see Plover, piping
Charadrius semipalmatus, see Plover, semipalmated
Charadrius vociferus, see Killdeer
Charles M. Russell National Wildlife Refuge: 364
Chat, yellow-breasted: 491, 1434–1435
Cheesebush: 374, 708
Chelonia mydas, see Turtle, eastern Pacific green
Cheloniidae, *see* Turtles, sea
Chemical repellents:
anthraquinone formulation (Flight Control®) shows promise as avian feeding repellent, 1558–1564
cinnamamide modifies foraging behaviors of free-living birds, 872–884
Chen canagica, see Geese, emperor
Cheng, Kimberly M., *see* Elliott, John E.
Chenonetta jubatum, see Duck, Australian wood
Cherry, black: 1170, 1386, 1412, 1439
Cherry, choke: 722
Cherry, pin: 251–252, 722, 1167
Cherry spp.: 270, 720, 1431
Chickadee, black-capped: 1349–1350, 1423–1426, 1490
Chickadee, Carolina: 79, 1414, 1434
Chickadee, mountain: 479
Chihuahuan Desert: 550–554, 989–995
Childonias niger, see Tern, black
Chile: 24, 26–27
Chilopoda: 512
China: 266, 643, 1321
Chinkapin, golden: 1399
Chipmunk, eastern: 534–535
Chipmunk, northwestern: 1199
Chipmunk, Townsend's: 1207–1216
Chipmunk, western: 632, 638, 930, 1197
Chippewa National Forest: 1386–1396
Chiroptera: 603
Chloroacetophenone: 400–403
Chokeberry, black: 85–86, 89–91
Chondestes grammacus, see Sparrow, lark
Chordeiles spp., *see* Nighthawk
Choristoneura fumiferana, see Budworm, spruce
Christmas Bird Count: 442–443, 1544
Christothorus palustris, see Wren, marsh

Chrysothamnus nauseosus, see Rabbitbrush, gray
Chrysothamnus nauseosus, see Rabbitbrush, rubber
Chrysothamnus spp., *see* Rabbitbrush
Chrysothamnus viscidifloras, see Rabbitbrush, green
Chufa: 1147–1149
Chugach National Forest: 447
Chukar: 46, 1506
Chulengo: 24–25
Cibola National Forest: 1266–1274
Cinnamadine: cinnamamide modifies foraging behaviors of free-living birds, 872–884
Cinnamaldehyde: 400–404
Cinnecord: 173
Cinquefoil: 1021
Circaea lutetiana, see Nightshade, enchanter's
Circus cyaneus, see Harrier, northern
Cistothorus platensis, see Wren, sedge
CITES, *see* Conservation on International Trade in Endangered Species of Wild Fauna and Flora
Cladocera, *see* Flea, water
Clangula hyemalis, see Duck, oldsquaw
Clark, Larry, *see* Cummings, John L.
Clark, William R., *see* Riley, Terry Z.
Clearcut: 11–12, 15, 18, 21, 240, 724, 946, 997, 1197, 1203
  response of small mammals to clearcutting, burning, and glyphostate application in the Oregon Coast Range, 1207–1216
Clearwater National Forest: 1255–1263
***Cleistogenes kitagamae*:** 60
Clemmys marmorata, see Turtle, western pond
Clethrionomys californicus, see Vole, western red-backed
Clethrionomys gapperi, see Vole, southern red-backed
Clidris pusilla, see Sandpiper, semipalmated
Clover: 263
Clover, sweet: 164, 281
Clover, white: 263, 1567
Clugston, David A., *see* Longcore, Jerry R.
———, *see* McAuley, Daniel G.
Clupea harengus, see Herring, Pacific
Coccoloba diversifolia, see Plum, pigeon
Coccoloba uvifera, see Grape, sea
Coccothraustes vespertinus, see Grosbeak, evening
Coccyzus americanus, see Cuckoo, yellow-billed
Cockatiel: 1461
Coconino National Forest: 612–620
Coffeeberry: 486
Cogan, Rawland D., and Duane R. Diefenbach. Effect of undercounting and model selection on a sightability- adjustment estimator for elk, 269–279
Cohen, Will E., *see* Forrester, N. David
———, *see* Kopp, Steven D.
Cohen, Y., *see* Moen, R. A.
Cohosh, blue: 1078, 1080
Colaptes auratus, see Flicker, northern
Cole, Elizabeth C., William C. McComb, Michael Newton, J. P. Leeming, and Carol L. Chambers. Response of small mammals to clearcutting, burning, and glyphostate application in the Oregon Coast Range, 1207–1216
Coleogyne ramosissima, see Blackbrush
Coleoptera: 512, 566
Colinus squamata, see Quail, scaled
Colinus virginianus, see Quail, bobwhite
Collazo, Jaime A., *see* Conomy, John T.
Collopy, Michael W., *see* Wood, Petra Bohall
Colophospermum mopane, see Mopane tree
Colorado: 214, 216, 219–221, 240, 340, 343, 344, 470, 555, 583, 925–932, 1303
Columba livia, see Dove, rock
Columba palumbus, see Pigeon, wood-
Columbina inca, see Dove, Inca
Community composition:
  breeding bird community composition in relation to riparian vegetation structure in the western United States, 461–473
  effect of border-edge cuts on birds at woodlot edges in southwestern Pennsylvania, 1430–1436
  songbird community composition and nesting success in grazed and ungrazed pinyon-juniper woodlands, 474–484
Competitive exclusion: 134–135, 139–140, 142, 148
Compositional analysis: 797
Condylura cristata, see Mole, starnose
Confidence intervals: 806, 1064
Connecticut: 442, 585–587
Conner, Mary M., Michael M. Jaeger, Theodore J. Weller, and Dale R. McCullough. Effect of coyote removal on sheep depredation in northern California, 690–699
Connochaetes taurinus, see Wildebeest
Conocarpus erectus, see Buttonwood
Conomy, John T., Jaime A. Collazo, James A. Dubovsky, and W. James Fleming. Dabbling duck behavior and aircraft activity in coastal North Carolina, 1127–1134
———, James A. Dubovsky, Jaime A. Collazo, W. James Fleming. Do black ducks and wood ducks habituate to aircraft disturbance?, 1135–1142
Conover, Michael R., *see* Hoover, Suzanne E.
Conservation on International Trade in Endangered Species of Wild Fauna and Flora: 286
Conservation Reserve Program: 153, 155, 901, 1301, 1448
Contopus borealis, see Flycatcher, olive-sided
Contopus sordidulus, see Wood-peewee, western
Contopus virens, see Wood-peewee, eastern
Cooch, Evan G., *see* Reed, Eric T.
Cooke, Fred, *see* Reed, Eric T.
Coontail: 1121, 1124
Coot, American: 498, 560, 1482, 1534
Copeland, Jeff, *see* Magoun, Audrey J.
Copepoda, *see* Copepods
Copepods: 129
Coptis asplenifolia: 237, 239
Cormorant, double-crested: 464, 1490

Corn: 280–284, 303–304, 388–389, 390, 911, 1077, 1079, 1147–1151
Cornus canadensis, see Bunchberry
Cornus dremmondii, see Dogwood, roughleaf
Cornus florida, see Dogwood, flowering
Corridors: 255, 258, 281, 588, 823, 828, 1272
Corvids:
hand-rearing corvids for reintroduction: importance of feeding regime, nestling growth, and dominance, 1460–1479
Corvus brachyrynchos, see Crow, American
Corvus corax, see Raven, common
Corvus frugilegus, see Rook
Corvus hawaiiensis, see Crow, Hawaiian
Corvus kubaryi, see Crow, Mariana
Corylus cornuta, see Hazelnut, beaked
Costa Rica: 954
Côté, Steeve D., Marco Festa-Bianchet, and François Fournier. Life-history effects of chemical immobilization and radiocollars on mountain goats, 745–752
Cottontail, desert: 374
Cottontail, eastern: 1210
Cottonwood: 461
Cottonwood, black: 519
Cottonwood, common: 116, 121, 281, 940, 1373–1377
Cottonwood, eastern, *see* Cottonwood, common
Cottonwood, Fremont: 848, 864, 867, 869
Cottonwood, narrow-leaf: 926, 929, 1056
Cottonwood, plain: 341
Coturnix japonica, see Quail, Japanese
Cougar: 1223
evaluating cougar translocation in New Mexico, 1264–1275
Count, pellet: 1077–1084, 1086–1093
Courtois, Réhaume, *see* Labonté, Johanne
Cover: 314–320
Cowan, David P., *see* Gill, Elaine L.
Cowardin, Lewis M., Pamela J. Pietz, John T. Lokemoen, H. Thomas Sklebar, and Glen A. Sargeant. Response of nesting ducks to predator exclosures and water conditions during drought, 152–163
Cowbird, brown-headed: 467–468, 479, 482, 491, 1141, 1413–1414, 1418, 1422–1427, 1430, 1432, 1434–1435, 1491, 1558–1564
Cox, Robert R., Jr., Mark A. Hanson, Christianne C. Roy, Ned H. Euliss, Jr., Douglas H. Johnson, and Malcolm G. Butler. Mallard duckling growth and survival in relation to aquatic invertebrates, 124–133
———, Alan D. Afton, and Richard M. Pace, III. Survival of female northern pintails wintering in southwestern Louisiana, 1512–1521
Coyote: 52, 153, 155, 201, 222, 307, 309, 369, 373, 536, 643–644, 651, 654, 675, 678, 707–716, 763, 851, 913, 1143, 1185, 1204, 1236–1244, 1266, 1300–1305, 1308, 1335, 1337, 1339
a comparison of bobcat and coyote predation on lambs in north-coastal California, 700–706
chlorinated benzenes as physiological markers for coyotes, 410–421
testing for wolf-coyote hybridization in the Rocky Mountains using mitochondrial DNA, 683–689
effectiveness of volatile irritants at reducing consumption of eggs by captive coyotes, 399–405
effect of coyote removal on sheep depredation in northern California, 690–699
Crab apple, Pacific: 383
Cranberry: 722
Cranberry, highbush: 722
Crane: 59
Crane, sandhill: 1461
Crataegus spp., *see* Hawthorn
Creeper, brown: 1423–1426
Crematogaster ashmeadi, see Ant, arboreal
Crematogaster floridanus: 511
Crematogaster nearticus: 511–512
Creosotebush: 99, 590, 869
Cricket: 1462
Crocodile: 1125
Crocodylus niloticus, see Crocodile
Crossbill, red: 479
Crotalus spp., *see* Rattlesnake
Croton argyranthemus, see Croton, silver
Croton pottsii: 554
Croton, silver: 350
Crow, American: 79, 81, 1143, 1145, 1418, 1422–1427, 1436, 1440, 1460–1479, 1490
Crow, Hawaiian: 1460–1479
Crow, Mariana: 831, 835, 1460–1479
Crowberry: 1229
CRP, *see* Conservation Reserve Program
Cuckoo, yellow-billed: 79, 1414
Cummings, John L., *see* Pochop, Patricia A.
———, Larry Clark, Patricia A. Pochop, and James E., Jr. Evaluation of a methyl anthranilate bead formulation on mallard feeding behavior, 581–584
Current: 239, 462, 466
Current, stink: 383
Custer National Forest: 1022, 1027–1029
Cyanocitta cristata, see Jay, blue
Cyanocitta stelleri, see Jay, Steller's
Cygnus cygnus, see Swan, whooper
Cynomys ludovicianus, see Prairie dog, white-tailed
Cyperus esculentus, see Sedge, chufa flat-
Cyperus esculentus, see Chufa
Cyperus spp., *see* Sedge
Cypher, Brain L., *see* Warrick, Gregory D.
Cypress, bald-: 73, 334, 570
Cypress Hills Provincial Park: 604

D

Dactylis glomerata, see Grass, orchard
Dale, Bruce W., *see* Adams, Layne G.

Dama dama, see Deer, fallow
Davis, James E., Jr., *see* Cummings, John L.
Daw, Sonya K., Stephen DeStefano, and Robert J. Steidl. Does survey method bias the description of northern goshawk nest-site structure?, 1379–1384
Dayflower, Asiatic: 577
DDT: 438–440
Decker, David G., *see* Avery, Michael L.
Deer, axis: 243
Deer, black-tailed, *see* Deer, Columbian black-tailed
Deer, Chinese water: 1347
Deer, Columbian black-tailed: 236, 240, 250, 253, 1276
Deer, desert mule: 1246, 1265, 1276
Deer, fallow: 266, 1067, 1072, 1233, 1346
effectiveness of wildlife warning reflectors in reducing deer-vehicle collisions: a behavioral study, 1094–1099
fallow deer and wild boar pellet group disappearance in a Mediterranean area, 1086–1094
Deer, Japanese sika: 243, 267, 1094
Deer Management Units: 205, 211–212
Deer, mule: 240, 277, 284, 475, 636, 697, 705, 750, 753, 958–966, 1021, 1067, 1072, 1266, 1276
effect of density reduction on overwinter survival of free-ranging mule deer fawns, 214–225
Deer, red: 214, 220, 266, 1011, 1042–1043, 1067, 1094, 1169, 1191, 1259, 1261
Deer, roe: 214, 220, 1092, 1094, 1169
use of vocalizations to estimate population size of roe deer, 1342–1348
Deer, samba: 243
Deer, Sitka black-tailed: 382–383, 385, 1276
dietary overlap between native Sitka black-tailed deer and introduced elk in southeast Alaska, 236–242
Deer, white-tailed: 4, 6, 8, 31, 214, 220, 243, 247, 248, 499, 745, 749, 978, 1011, 1021, 1067, 1072, 1098, 1167–1170, 1174–1176, 1218, 1227, 1233, 1276, 1347
Chinese privet and the feeding ecology of white-tailed deer: the role of an exotic plant, 1321–1329
effects of agricultural activities and hunting on home ranges of female white-tailed deer, 280–285
litterfall: an overlooked food source for wintering white-tailed deer, 250–255
migration and seasonal range dynamics of deer using adjacent deeryards in northern Michigan, 205–213
predictors of white-tailed deer grazing intensity in fragmented deciduous forests, 1076–1085
spatial mobility of breeding female white-tailed deer in a low-density population, 1329–1334
survival and cause-specific mortality rates of adult white-tailed deer in New Brunswick, 1335–1341
variance component analysis and heritability of antler traits in white-tailed deer, 262–268
Deeryard: 1335–1336
migration and seasonal range dynamics of deer using adjacent deeryards in northern Michigan, 205–213
DellaSala, Dominick A., Robert G. Anthony, Thomas A. Spies, and Kathleen A. Engel. Management of bald eagle communal roosts in fire-adapted mixconifer forests, 322–333
Demarais, Stephen, *see* Jorgensen, Eric E.
Demographic models:
on the use of demographic models of population viability in endangered species management, 821–841 - Invited paper.
Den: 373–379, 728
characteristics of American marten den sites in Wyoming, 663–673
characteristics of wolverine reproductive den sites, 1313–1320
Denali National Park: 1184–1194
Dendragapos obscurus, see Grouse, blue
Dendrocopos leucotos, see Woodpecker, white-backed
Dendroctonus ponderosae, see Beetle, mountain pine
Dendroctonus psuedotsugae, see Beetle, Douglas-fir
Dendroctonus rufipennis, see Beetle, spruce
Dendrocygna arborea, see Duck, West Indian whistling-
Dendrocygna autumnalis, see Duck, black-bellied
Dendrocygna viduata, see Duck, white-faced whistling
Dendroica caerulescens, see Warbler, black-throated blue
Dendroica cerulea, see Warbler, Cerulean
Dendroica coronata, see Warbler, yellow-rumped
Dendroica dominica, see Warbler, yellow-throated
Dendroica fusca, see Warbler, blackburnian
Dendroica kirtlandii, see Warbler, Kirtland's
Dendroica magnolia, see Warbler, magnolia
Dendroica nigrescens, see Warbler, black-throated gray
Dendroica pensylvanica, see Warbler, chestnut-sided
Dendroica petechia, see Warbler, yellow
Dendroica pinus, see Warbler, pine
Dendroica townsendi, see Warbler, Townsend's
Dendroica virens, see Warbler, black-throated green
Denmark: 773–776, 861, 1094–1099
Density dependence: 214–215, 222–223
Desert arroyo: 989–995
Desert National Wildlife Refuge: 1246–1254
Desert Tortoise Council: 590–591, 595
DeSoto National Wildlife Refuge: 280–285
DeStefano, Stephen, *see* Daw, Sonya K.
Deuterium oxide: 406–408
Devil club: 237, 239, 381, 383
deVos, James C., Jr., *see* Green, Heather
DeYoung, Donald W., *see* Krausman, Paul R.
Dickcissel: 931
Dickman, Christopher R., *see* Banks, Peter B.
Didelphis virginiana, see Opossum, Virginia
Diefenbach, Duane R., and Gary L. Alt. Modeling

and evaluation of ear tag loss in black bears, 1292–1300
———, *see* Cogan, Rawland D.
———, *see* Harshyne, Wendi A.
Diet: diet selectivity of gadwalls wintering in Alabama, 1533–1543
Dingos: 769
Diospyros virginiana, see Persimmon
Dipodomys merriami, see Rat, Merriam's kangaroo
Dipodomys ordii, see Rat, Ord's kangaroo
Diptera: 512
Discaria toumatou, see Matagouri
Dispersal: 225–226, 230–234
amphibian movements in response to forest edges, roads, and streambeds in southern New England, 584–589
Distichlis spicata, see Grass, salt
Ditchkoff, Stephen S., and Frederick A. Servello. Litterfall: an overlooked food source for wintering white-tailed deer, 250–225
Diversity, alpha: 469, 471
Diversity, beta: 469, 471
Dogwood, flowering: 355, 1322, 1412, 1439
Dogwood, roughleaf: 281, 284
Dolbeer, Richard A., Thomas W. Seamans, Bradley F. Blackwell, and Jerrold L. Belant. Anthraquinone formulation (Flight Control™) shows promise as avian feeding repellent, 1558–1564
Dolichonyx oryzivorus, see Bobolink
Doppler effect: 1004
Dove, Inca: 869
Dove, mourning: 79, 479, 490, 869, 1491
effects of implanted radiotransmitters on captive mourning doves, 1451–1460
population demographics of two local South Carolina mourning dove populations, 1443–1451
radiocesium in mourning doves: effects of a contaminated reservoir drawdown and risk to human consumers, 497–508
Dove, rock: 873–874, 1491
Drawdown: 497–507, 1488
Draycott, Roger A. H., Andrew N. Hoodless, Mark N. Ludiman, and Peter A. Robertson. Effects of spring feeding on body condition of captive-reared ring-necked pheasants in Great Britain, 557–563
Drobney, Ronald D., *see* Petrie, Mark J.
Dropseed, mesa: 552–555
Dryocopus martius, see Woodpecker, black
Dryocopus pileatus, see Woodpecker, pileated
Dryopteris dilata, see Fern, buckler
Dryopteris spinulosa, see Fern, shield
Dubovsky, James A., *see* Conomy, John T.
Duck, American black: 129, 131, 569, 573–578, 729, 1127, 1130–1132, 1517
brood size of sympatric American black ducks and mallards in Maine, 142–151
do black ducks and wood ducks habituate to aircraft disturbance?, 1135–1142
effect of restrictive harvest regulations on survival and recovery rates of American black ducks, 1544–1557
outcome of aggressive interactions between American black ducks and mallards during the breeding season, 134–141
Duck, Australian wood: 1540–1541
Duck, black, *see* Duck, American black
Duck, black-bellied: 177
Duck, dabbling: 152, 165, 1151
dabbling duck behavior and aircraft activity in coastal North Carolina, 1127–1134
dabbling duck habitat associations during winter in coastal South Carolina, 569–580
Duck, diving: 167
Duck, mallard: 135–140, 142, 145–149, 152–153, 157–161, 165, 167, 176, 467–468, 564, 573–576, 763, 1114, 1144, 1150, 1452, 1490, 1517, 1544, 1554
duckling growth and survival in relation to aquatic invertebrates, 124–133
laboratory evaluation of a methyl anthranilate bead formulation on mallard feeding behavior, 581–584
return rates and reproductive output of captive-reared female mallards, 192–198
Duck, oldsquaw: 129, 1099
Duck, tufted: 129
Duck, West Indian whistling-:
habitat use and home range of West Indian whistling-ducks, 171–178
Duck, white-faced whistling-:
activity budget of white-faced whistling-ducks during winter and spring in northern Kwazulu-Natal, South Africa, 1119–1126
Duck, wood: 192, 504, 1490
breeding biology of wood ducks using natural cavities in southern Illinois, 112–123
do black ducks and wood ducks habituate to aircraft disturbance?, 1135–1142
Ducks, diving:
shot prevalences and diets of diving ducks five years after ban on lead shotshells at Catahoula Lake, Louisiana, 564–569
Dumetella carolinensis, see Catbird, gray
Dunlin: 1490

E

Eagle, bald: 345, 435, 436, 439, 1386
management of bald eagle communal roosts in fire-adapted mixed-conifer forests, 322–333
postfledging nest dependence period for bald eagles in Florida, 333–339
variable reproductive success of bald eagles on the British Columbia coast, 518–529
Eagle, golden: 345, 436, 526, 692, 700, 1185, 1301, 1303, 1318
Eagle, wedge-tailed: 769

Ear tag:
modeling and evaluation of ear tag loss in black bears, 1292–1300
Eberhardt, L. Lee, Robert A. Garrott, Patrick J. White, and Peter J. Gogan. Alternative approaches to aerial censusing of elk, 1046–1055
Echinochloa crusgalli, see Millet, wild
Echinochloa spp.: 566
Echium vulgare, see Viper's bugloss
Echolocation: 997–1001
effects of interindividual variation in echolocation calls on identification of big brown and silver-haired bats, 1003–1010
Edge: 584–588, 1441
effect of border-edge cuts on birds at woodlot edges in southwestern Pennsylvania, 1430–1436
Edge, W. Daniel, *see* Sanders, Todd A.
Edwards, John W., David G. Heckel, and David C. Guynn, Jr. Niche overlap in sympatric of fox and gray squirrels, 354–363
Edwards, William R., *see* Westemeier, Ronald L.
Egg addling: 395
Eider, common: 1099, 1108
use of ratio estimators to estimate the size of common eider populations in winter, 185–192
Eider, spectacled: 1099
effect of lead poisoning on spectacled eider survival rates, 1103–1109
El Niño: 527
Elaegnus umbellata, see Olive, autumn
Elanoides forficatus, see Kite, swallow-tailed
Elaphe obsoleta obsoleta, see Snake, black rat
Elaphe obsoleta, see Snake, rat
Eleocharis parvula, see Spikerush, dwarf
Eleocharis spp., *see* Spikerush
Elephant, African: 833, 1168, 1170
Elk: 266, 475, 958–966, 1067, 1170, 1227
alternative approaches to aerial censusing of elk, 1046–1055
behavioral response of free-ranging elk treated with an immunocontraceptive vaccine, 243–250
development and evaluation of sightability models for summer elk surveys, 1055–1066
dietary overlap between native Sitka black-tailed deer and introduced elk in Southeast Alaska, 236–242
juvenile survival and population regulation of the Jackson Elk Herd, 1036–1045
Elk Herd, Jackson: 1036–1044, 1055–1065
Elk Herd, Madison-Firehole:
alternative approaches to aerial censusing of elk, 1046–1055
Elk, Rocky Mountain: 236, 240,1266
effect of undercounting and model selection on a sightability-adjustment estimator for elk, 269–279
elk habitat selection on the Clearwater National Forest, Idaho, 1255–1263
juvenile survival and population regulation of the Jackson Elk herd, 1036–1045
long-term range fidelity in Rocky Mountain elk, 1020–1035
Elk, Roosevelt: 236, 240
Elk, tule: 240
Elliott, John E., Ian E. Moul, and Kimberly M. Cheng. Variable reproductive success of bald eagles on the British Columbia coast: 518–529
Elm, American: 85, 940, 1076, 1322, 1386
Elm, winged: 355
Emberiza citrinella, see Yellow hammers
Empetrum spp., *see* Crowberry
Empidonax alnorum, see Flycatcher, alder
Empidonax difficilis, see Flycatcher, Pacific-slope
Empidonax flaviventris, see Flycatcher, yellow-bellied
Empidonax hammondii, see Flycatcher, Hammond's
Empidonax minimus, see Flycatcher, least
Empidonax oberholseri, see Flycatcher, dusky
Empidonax traillii, see Flycatcher, willow
Empidonax virescens, see Flycatcher, Acadian
Empidonax wrightii, see Flycatcher, gray
Endangered species: 821–823, 829, 832, 836, 985, 1176, 1300
Endangered Species Act: 1, 98, 347, 509, 683, 1217, 1380, 1398
Endocrinology: 24, 28–29
Energetics:
effect of winter temperature on wild turkey metabolism, 299–305
seasonal changes in water flux, forage intake, and assimilated energy of free-ranging muskrats, 292–299
true metabolizable energy estimates of Canada goose foods, 1147–1152
Engel, Kathleen A., *see* DellaSala, Dominick A.
Engeman, Richard M., *see* Johnston, John J.
England: 1092
effects of spring feeding on body condition of captive-reared ring-necked pheasants in Great Britain, 557–563
Enhydra lutris, see Otter, sea
EPA, *see* U. S. Environmental Protection Agency
Ephedra: 99
Ephedra nevadensis, see Ephedra
Epilobium spp.: 239
Epiphyseal fusion: 674
Eptesicus fuscus, see Bat, big brown
Equisetum hyemale, see Rush, common scouring-
Equisetum spp.: 239
Equus caballus, see Horse, feral
Equus przewalski, see Horse, Przewalski's
Erethizon dorsatum, see Porcupine
Eretmochelys imbricata, see Turtle, hawksbill
Erinaceus europaeus, see Hedgehog, European
Eriogonum fasciculatum, see Buckwheat
Erioneuron pulchellum, see Grass, fluff-
Eriophorum vaginatum, see Grass, cotton
Erodium cicutarium, see Filaree, stemmed

ESA, *see* Endangered Species Act
Ethyl acetate: 400–403
Eucalyptus: 864, 867
Eucalyptus spp., *see* Eucalyptus
Euliss, Ned H., Jr., *see* Cox, Robert R., Jr.
Euonymus americanus, see Strawberry bush
Eupatorium capillifolium, see Fennel, dog
Eupatorium rugostum, see Snakeroot, white
Euphagus cyanocephalus, see Blackbird, Brewer's
Europe: 11, 623, 772, 861, 1018, 1169
Eutamias amoenus, see Chipmunk, western
Evernia spp., *see* Lichen
Ewing, Dean E., *see* Riley, Terry Z.
Exotic plants:
Chinese privet and the feeding ecology of white-tailed deer: the role of an exotic plant, 1321–1329

F

Fagus grandifolia, see Beech, American
Falco columbarius, see Merlin
Falco peregrinus, see Falcon, peregrine
Falco sparverius, see Kestrel, American
Falcon, peregrine: 436, 439, 441, 756
Falsebox: 631
Farley, Sean D., *see* Hilderbrand, Grant V.
Fat reserves: 557–561
Feare, Chris J., *see* Gill, Elaine L.
Fecal analyses: 238, 381, 562
Feline immunodeficiency virus: 985
Feline infectious peritonitis: 985
Felis catus, see Cat, domestic
Felis concolor coryi, see Panther, Florida
Felis concolor, see Lion, mountain
Felis rufus, see Bobcat
Felis silvestris, see Cat, wild
FEMAT, *see* Forest Ecosystem Management Assessment Team
Fence, drift: 585–586
Fennel, dog: 499, 1566
Fern, bracken: 350
Fern, buckler: 237
Fern, Christmas: 73
Fern, deer: 237, 239
Fern, lady: 239
Fern, netted-chain: 73
Fern, shield: 530
Fern, sword: 237, 239
Ferret, black-footed: 364, 985
ketamine-medetomidine or isoflurane immobilization of black-footed ferrets, 654–662
the effect of rearing methods on survival of reintroduced black-footed ferrets, 643–653
Ferrets, feral: 45–56
Fescue: 315
Fescue, Arizona: 613
Festa-Bianchet, Marco, *see* Côté, Steeve D.
———, *see* Jorgenson, Jon T.
Festuca arizonica, see Fescue, Arizona
Festuca megalura, see Foxtail
Festuca novae-zealandia, see Tussock, fescue
Festuca spp., *see* Fescue
Filaree, stemmed: 374, 708
***Filifolium sibiricum*:** 60
Finch, bull-: 882
Finch, green-: 872, 875–876, 879–882
Finch, house: 490
Findholt, Scott L., *see* Johnson, Bruce K.
Finland: 11
Fir, balsam: 251, 253, 530, 720, 1167, 1229, 1336, 1343, 1386, 1420, 1425
Fir, Douglas-: 253, 322–332, 475, 519, 596–597, 599–601, 613–614, 1021, 1056, 1197, 1207, 1212–1214, 1256, 1350–1357, 1380, 1398–1399, 1402, 1404
relations of small mammal populations to even-aged shelterwood systems in sub-aboreal spruce forest, 630–642
Fir, grand: 1380
Fir, Pacific silver: 1399
Fir, red: 670
Fir, silver: 1169
Fir, subalpine: 663–668, 671, 1021, 1046, 1056, 1256
Fir, white: 322–331, 613, 1399, 1402
Fire: 707–710, 714–716, 725, 1046, 1168, 1172, 1400, 1408
bird communities of early-successional burned and logged forest, 1418–1430
density and foraging ecology of woodpeckers following a stand-replacement fire, 1359–1372
response of small mammals to clearcutting, burning, and glyphostate application in the Oregon Coast Range, 1207–1216
Firewood harvesting: effect of firewood harvesting on birds in California oak-pine woodland, 485–496
Firman, Jeffre D., *see* Schulz, John H.
Fisher: 529, 534–535, 1204, 1276
comparison of proposed survey procedures for detection of forest carnivores, 1217–1226
Flea, water: 129
Fleming, Kathleen, and William M. Giuliano. Effects of border-edge cuts on birds at woodlot edges in southwestern Pennsylvania, 1430–1436
Fleming, W. James, *see* Conomy, John T.
Flicker, northern: 479, 490, 1360, 1423–1426, 1491
Flint, Paul L., James B. Grand, and Robert F. Rockwell. A model of northern pintail productivity and population growth rate, 1110–1118
———, *see* Grand, James B.
———. Settlement rate of lead shot in tundra wetlands, 1099–1102
Florida: 334–338, 347–350, 439, 513–515, 686, 1271, 1329–1334
Florida Everglades: 826
Flower, carrion: 1078, 1080
Flycatcher, Acadian: 72, 76–81, 1411, 1414–1416, 1434

Flycatcher, alder: 1423–1426
Flycatcher, ash-throated: 479, 490, 493
Flycatcher, dusky: 488, 491
Flycatcher, gray: 479
Flycatcher, great-crested: 79, 1423–1426, 1491
Flycatcher, Hammond's: 488, 491
Flycatcher, least: 1423–1426
Flycatcher, olive-sided: 1423–1426
Flycatcher, Pacific-slope: 485, 490, 493–494
Flycatcher, willow: 461, 467–470, 1490
Flycatcher, yellow-bellied: 1423–1426
Flyways: 112
Foamflower: 237, 239
Fomes igniarius, see Rot, false tinder
Fong, David W., *see* Mahoney, Shane P.
Foraging:
cinnamamide modifies foraging behaviors of free-living birds, 872–884
Forbes, Graham J., *see* Whitlaw, Heather A.
Forbes, Stephen H., *see* Pigrim, Kristine L.
Foresman, Kerry R., and D. E. Pearson. Comparison of proposed survey procedures for detection of forest carnivores, 1217–1226
Forest Ecosystem Management Assessment Team: 596
Forest management, even-aged: 1411
Forest management, uneven-aged: 1411–1417
Formica spp., *see* Ants, red wood
Forrester, N. David, *see* Kopp, Steven D.
———, Fred S. Guthrey, Steven D. Kopp, and Will E. Cohen. Operative temperature reduces habitat
space for northern bobwhites, 1506–1511
Fournier, François, *see* Côté, Steeve D.
Fournier, Michael A., and James E. Hines. Productivity and population increase of subarctic breeding canvasbacks, 179–184
Fox, arctic: 1308
Fox, corsac: 59–60, 65–66, 71
Fox, gray: 680, 702, 913, 985, 1266, 1292
Fox, red: 36, 40, 52, 55, 59, 65–66, 71, 153, 155, 378, 536, 538, 626, 913, 1143, 1236–1244, 1266, 1276, 1292, 1301, 1303, 1497
ecological costs of feral predator control: foxes and rabbits, 766–772
indices for predicting total body fat in red foxes from Australia, 1307–1312
Fox, San Joaquin kit: 52, 1304
factors affecting the spatial distribution of San Joaquin kit foxes, 707–717
patterns of den use by San Joaquin kit foxes, 373–379
Fox, Susan M., *see* Gill, Elaine L.
Fox, swift: 651
causes and rates of mortality of swift foxes in western Kansas, 1300–1306
Foxtail: 691
Fragmentation: 340–341, 345, 486, 1076–1084, 1264, 1326, 1373, 1411, 1436, 1506–1511
predation of artificial nests in hardwood fragments enclosed by pine and agricultural habitats, 1438–1442
France: 978–988, 1101, 1343–1348
Francis, Charles M., John R. Sauer, and Jerome R. Serie. Effect of restrictive harvest regulations on survival and recovery rates of American black ducks, 1544–1557
Franklin, William L., *see* Gustafson, Laura L.
Fraxinus americana, see Ash, white
Fraxinus nigra, see Ash, black
Fraxinus pennsylvanica, see Ash, green
Freilich, Jerome E., and Edward L. LaRue, Jr. Importance of observer experience in finding desert tortoises, 590–596
Fremont National Forest: 1379–1384
Friedman method: 796–800
Fringilla coelebs, see Chaffinches
Fritzen, Duane E., *see* Labisky, Ronald F.
Frog, pickerel: 584–587
Frog, wood: 584–587
Fromont, Emmanuelle, Marc Artois, and Dominique Pontier. Epidemiology of feline leukemia virus (FeLV) and structure of domestic cat populations, 978–988
Fulica amaericana, see Coot, American
Furcolow, Carol A., *see* Johnston, John J.

G

Gadwall: 152–153, 157–161, 165, 167, 575–578, 1127, 1131–1132, 1135, 1490
diet selectivity of gadwalls wintering in Alabama, 1533–1543
***Galium verum*:** 60
Galleria mellonella, see Worm, wax-
Gallinago gallinago, see Snipe, common
Gallinula chloropus, see Moorhen, common
Garrott, Robert A., *see* Eberhardt, L. Lee
———, *see* Heilmann, Theodore J.
Gates, Robert G., *see* Ryan, Daniel C.
Gaultheria shallon, see Wintergreen
Gavia arctica, see Loon, arctic
Gaylussacia spp., *see* Huckleberry, red
Gazelle, Mongolian: 59–60, 62–63, 71
Gecko, common: 46
Geese, Brant: 882, 1127
Geese, Canada: 113, 395, 874, 1292, 1490, 1540–1541, 1558–1564
true metabolizable energy estimates of Canada goose foods, 1147–1152
Geese, emperor: 1116
Geese, greater snow: 1127, 1540
Geese, lesser snow: 561, 805, 1116, 1151, 1292
Geese, swan: 63
Genetics: 262, 264, 266–267
***Geniostoma ligustrifolium*:** 1168
Genov, Peter V., *see* Massei, Giovanna
Geographic Information System: 1–7, 38, 173, 448,

527, 598–599, 613, 721, 758, 794, 828, 831, 843, 896, 958, 966, 1079, 1257, 1566
Georgia: 81, 262, 354–361, 513, 570, 939–946, 1321–1329
Georgia Piedmont: 939–946
Geothlypis trichas, see Yellowthroat, common
Geotrupes spp., *see* Beetles, dung
Gerard, Patrick D., David R. Smith, and Govinda Weerakkody. Limits of retrospective power analysis, 801–807
Gerbils, Mongolian: 644
Gerhart, Karen L., *see* Russell, Don E.
Geum rossii, see Avens, yellow
Gibbs, James P. Amphibian movements inresponse to forest edges, roads, and streambeds in southern New England, 584–589
Gill, Elaine L., Chris J. Feare, David P. Cowan, Susan M. Fox, Julie D. Bishop, Steve D. Langston, Richard W. Watkins, and Joanne E. Gurney. Cinnamamide modifies foraging behaviors of free-living birds, 872–884
Gillis, James R., *see* Sovada, Marsha A.
Giraffa camelopardalis, see Giraffe
Giraffe: 1168
GIS, *see* Geographic Information System
Giuliano, William M., *see* Fleming, Kathleen
Glacier National Park: 683
Glaucidium gnoma, see Owl, northern pygmy-
Glaucomys sabrinus, see Squirrel, northern flying
Glaucomys spp., *see* Squirrel, flying
Global Positioning System: 448, 736, 1056, 1100, 1229
accuracy of GPS telemetry collar locations with differential correction, 808–810 - Corrigendum
Glyceria grandis: 1534
Glycine max, see Soybean
Glyphosate: 1196–1197
response of small mammals to clearcutting, burning, and glyphostate application in the Oregon Coast Range, 1207–1216
Gnatcatcher, black-tailed: 1506
Gnatcatcher, blue-gray: 72, 76, 78–80, 479–483, 491, 1414
Goat, mountain: 214, 753, 1021, 1067
life-history effects of chemical immobilization and radiocollars on mountain goats, 745–752
Godbey, Jerry L., *see* Biggins, Dean E.
Gogan, Peter J., *see* Eberhardt, L. Lee
Goguen, Christopher B., and Nancy E. Mathews. Songbird community composition and nesting success in grazed and ungrazed pinyon-juniper woodlands, 474–484
Goldenrod: 350, 1566
Goldenrod, zig-zag: 1078, 1080
Goldfinch, American: 1424–1426, 1490
Goldfinch, lesser: 479, 490
Gopher apple: 350
Gopher, northern pocket: 1476
Gopherus agassizii, see Tortoise, desert
Gopherus polyphemus, see Tortoise, gopher
Gordon, David H., Brian T. Gray, and Richard M. Kaminski. Dabbling duck habitat associations during winter in coastal South Carolina, 569–580
Goshawk, northern: 19, 436, 441, 1386
does survey method bias the description of northern goshawk nest-site structure?, 1379–1384
Goudie, R. Ian, *see* Reed, Eric T.
GPS, *see* Global Positioning System
Graber, David A., *see* Petrie, Mark J.
Grackle, common: 1490
Grama, black: 552–554
Grama, blue: 164, 475, 477–478, 552–554
Grama, sideoats: 281, 477–478, 554
Grand, James B., *see* Flint, Paul L.
Grand, James B., Paul L. Flint, Margaret R. Petersen, and Christine L. Moran. Effect of lead poisoning on spectacled eider survival rates, 1103–1109
Grand Teton National Forest: 1036–1044, 1055–1065
Grape, sea: 173
Grape, wild: 1431
Grass, alpine blue-: 1021
Grass, blue: 125
Grass, bluebunch wheat-: 244
Grass, brome: 36, 41
Grass, bunch-: 1021
Grass, canary: 125
Grass, cheat-: 341
Grass, Columbian needle-: 477
Grass, cord-: 1128
Grass, cotton: 259, 1021
Grass, crested: 164
Grass, crested wheat-: 341
Grass, eel-: 1523
Grass, fluff-: 554
Grass, galleta: 477–478
Grass, giant cord-: 571, 577
Grass, green needle-: 164
Grass, Indian: 281, 315, 1301
Grass, intermediate: 164
Grass, ley: 558
Grass, needle-and-thread: 164
Grass, orchard: 164
Grass, panic: 350
Grass, pine-: 664
Grass, prairie June-: 164
Grass, quack-: 164
Grass, rye: 263, 1151
Grass, salt: 1128
Grass, Sandberg's blue-: 244
Grass, smooth cord-: 571–572, 575–578
Grass, switch-: 155, 281, 315, 1301
Grass, tall wheat-: 155, 164
Grass, western: 164
Grass, widgeon: 571–572, 575–577, 1128
Grass, wire-: 350, 510, 514–516
Graton, Edward O., *see* Unsworth, James W.
Gray, Brian T., *see* Gordon, David H.

Grazing: 474–483, 616, 707–708, 842, 926
predictors of white-tailed deer grazing intensity in fragmented deciduous forests, 1076–1085
Greasewood: 364
Greasewood, black: 164
Great Britain: effects of spring feeding on body condition of captive-reared ring-necked pheasants in Great Britain, 557–563
Great Smoky Mountains National Park: 732
Grebe, pied-billed: 1482–1488, 1490
Green, Heather, James C. deVos, Jr., and C. Richard Miller. Characteristics of ponderosa pine snag roosts used by reproductive bats in northern Arizona, 612–621
Greenbrier: 350, 355
Greenland: 734–735, 742
Grindal, Scott D., and R. Mark Brigham. Short-term effects of small-scale habitat disturbance on activity by insectivorous bats, 996–1003
Grosbeak, black-headed: 479, 491
Grosbeak, blue: 479
Grosbeak, evening: 1422–1426
Grosbeak, rose-breasted: 1422–1426, 1434–1435, 1491
Grouse, black: 62, 168, 861
Grouse, blue: 382
Grouse, Pallas' sand-: 62
Grouse, red, *see* Ptarmigan, willow
Grouse, ruffed: 896, 1423–1426
Grouse, sage: 303, 319, 896
Grus canadensis pulla, see Crane, sandhill
Grus spp., *see* Crane
Gryllidae spp., *see* Cricket
Guam: 105–106, 831, 835, 1461
Guanaco:
predicting early mortality of newborn guanaco by birth mass and hematological parameters: a provisional model, 24–35
Guiraca caerulea, see Grosbeak, blue
Gull, glaucous-winged: 526
Gull, herring: 395, 1490
Gull, lesser black-backed: 560–561
Gull, red-billed: 1292
Gull, ring-billed: 395, 1490
Gulo gulo, see Wolverine
Gum, black: 85, 116, 355, 1412
Gum, sweet-: 73, 355
Gurney, Joanne E., *see* Gill, Elaine L.
Gustafson, Laura L., William L. Franklin, Ronald J. Sarno, Russel L. Hunter, Karen M. Young, Warren E. Johnson, and Michael J. Behl. Predicting early mortality of newborn guanaco by birth mass and hematological parameters: a provisional model, 24–35
Guthery, Fred S., and William P. Kuvlesky, Jr. The effect of multiple brooding on age ratios of quail, 540–549
———, *see* Forrester, N. David
———, *see* Kopp, Steven D.
Gutierrezia bracteata, see Matchweed, californis
Gutierrezia californica, see Matchweed, californis
Gutierrezia sarothrae: 554
Guynn, David C., Jr., *see* Edwards, John W.
Gymmorhinus cyanocephalus, see Jay, pinyon

H

Habitat Conservation Plan: 834
Habitat selection:
habitat selection modeling for northern bobwhites on subtropical rangeland, 884–895
influence of forest structure and diseases on nest-site selection by red-breasted nuthatches, 1349–1358
Habitat suitability index: 900
Habitat suitability model:
modeling habitat suitability for small mammals in Chihuahuan desert foothills of New Mexico, 989–996
Hackberry: 281, 869, 1324, 1374
Hackelia virginiana, see Stickseed
Haiti: 171
Hale, Philip E., *see* Stromayer, Karl A.
Halerpestes salugmosa: 60
Haliaeetus leucocephalus, see Eagle, bald
Halichoerus grypus, see Seal, grey
Hamady, Maya, *see* Van Deelen, Timothy R.
Hamster: 644
Handling effect: 745–746
Hanebury, Louis R., *see* Biggins, Dean E.
Hansen, Kurt, *see* Marboutin, Eric
Hanson, Mark A., *see* Cox, Robert R., Jr.
Hare, brown: 46
survival rates in a nonharvested brown hare population, 722–779
Hare, mountain: 777
Hare, snowshoe: 9, 52, 93, 776–777, 1204, 1223
Harmon Den Bear Sanctuary: 727–733
Haroldson, Kurt J., Michael L. Svihel, Richard O. Kimmel. Michael R. Riggs. Effect of winter temperature on wild turkey metabolism, 299–305
Harrier, northern: 436, 1490
Harshyne, Wendi A., Duane R. Diefenbach, Gary L. Alt, and Gary M. Matson. Analysis of error from cementum annuli age estimates of known age Pennsylvania black bears, 1281–1291
Harvest: 134, 142, 149, 221, 223, 919–923, 1319, 1329–1330
effect of restrictive harvest regulations on survival and recovery rates of American black ducks, 1544–1557
effects of agricultural activities and hunting on home ranges of female white-tailed deer, 280–285
effects of recreational shooting on prairie dog colonies, 363–372
moose dispersal and its role in the maintenance of harvested populations, 225–235

the commercial harvest of wildlife in Dornod Aimag, Mongolia, 59–71
Haufler, Johnathan B., *see* Van Deelen, Timothy R.
Hawk, broad-winged: 436, 440–441, 1386, 1423–1426
Hawk, Cooper's: 436, 439–441, 1386, 1394
nest-site selection by Cooper's hawks in an urban environment, 864–871
Hawk, ferruginous:
anthropogenic effects on winter behavior of ferruginous hawks, 340–346
Hawk Mountain Sanctuary: 435–445
Hawk, red-shouldered: 79, 81, 436, 251–252
red-shouldered hawk broadcast surveys: factors affecting detection of responses and population trends, 1385–1397
Hawk, red-tailed: 436, 440–441, 1386, 1423–1426, 1491
Hawk, rough-legged: 436
Hawk, sharp-shinned: 436, 439, 441, 442, 536, 1386, 1423–1426
Hawk, sparrow: 881
Hawkweed: 46
Hawkweed, mouse ear: 46
Hawthorn: 355, 722
Hayes, Charles L., *see* Krausman, Paul R.
Hazelnut, beaked: 251–252, 720, 722, 1420, 1426
He, Zhuoqiong, *see* Schulz, John H.
Heckel, David G., *see* Edwards, John W.
Hedgehog, European: 46
Hedysarum: 257, 259
Hedysarum alpinum, see Hedysarum
Heilmann, Theodore J., Robert A. Garrott, Larry L. Cadwell, and Brett L. Tiller. Behavioral response of free- ranging elk treated with an immunocontraceptive vaccine, 243–250
Helianthus spp., *see* Sunflower
Heliothis zea, see Worm, corn ear-
Helmitheros vermivous, see Warbler, worm-eating
Hematology: 24, 27
Hemiptera: 511–512
***Hemiscolopendra punctiventris*:** 513
Hemlock, eastern: 85, 211, 250–253, 585, 1169, 1336
Hemlock, mountain: 447
Hemlock, western: 237, 239, 240, 381, 447, 597, 599, 997, 1350–1357, 1398–1399, 1402, 1404
Hen, northern hazel: 62
Henry, Stephen E., *see* Ruggiero, Leonard F.
Hepp, Gary R., *see* McKnight, S. Keith
Herbicide:
response of small mammals to clearcutting, burning, and glyphostate application in the Oregon Coast Range, 1207–1216
silvicultural use of herbicide in sub-aboreal spruce forest: implications for small mammal population dynamics, 1196–1206
Herbivory:
ungulate effects on the functional species composition of plant communities: herbivore selectivity and plant tolerance, 1165–1183 - Invited paper
Heron, black-crowned night: 1490
Heron, great blue: 1490
Heron, green-backed: 1482–1488
Herring, Pacific: 526
Hershey, Katherine T., E. Charles Meslow, and Fred L. Ramsey. Characteristics of forests at spotted owl sites in the Pacific Northwest, 1398–1410
Hess, Charles A., and Frances C. James. Diet of the red-cockaded woodpecker in the Apalachicola National Forest, 509–517
Heteromeles arbutifolia, see Toyon
Hewison, A. J. Mark, *see* Reby, David
Heyward, Richard P., *see* Norbury, Grant L.
Hiawatha National Forest: 205–206
Hibernacula: 597
winter behavior of desert tortoise in southcentral Nevada, 98–104
Hickory: 113, 270, 355, 911, 918, 940, 1322, 1411–1416
Hickory, black: 1412
Hickory, mockernut: 1412, 1439
Hickory, shagbark: 1373, 1376
Hieracium lepidulum, see Hawkweed
Hieracium pilosella, see Hawkweed, mouse ear
Hilaria jamesii, see grass, galleta
Hilderbrand, Grant V., Sean D. Farley, and Charles T. Robbins. Predicting body condition of bears via field methods, 406–409
Hill, Geoffrey E., *see* Plentovich, Sheldon
Hines, James E., *see* Fournier, Michael A.
Hippopotamus: 1124–1125
Hippopotamus amphibius, see Hippopotamus
Hipposideros speoris, see Bat, leaf-nosed
Hirundo pyrrhonota, see Swallow, cliff
Hirundo rustica, see Swallow, barn
Hitchcock, Christine L., *see* Steeger, Christopher
Hobble, dog: 73
Hobblebush: 530–531
Hohman, William L., *see* Moore, Joseph L.
Holechek, Jerry L., *see* Saiwana, Lewis
Holler, Nicholas R., *see* Plentovich, Sheldon
Holly, American: 73, 1439
Holly, shrub mountain-: 84–86, 89–91
Holmes, Richard T., *see* Sloan, Stephen S.
Home range: 13–14, 17, 20, 38, 45, 48, 50–51, 54–56, 172, 174, 200–203, 225, 228, 231–233, 282–284, 344, 665, 703–705, 728–732, 799, 968, 1043, 1175, 1262, 1303,1305, 1317, 1347, 1385, 1571
evaluating cougar translocation in New Mexico, 1264–1275
long-term range fidelity in Rocky Mountain elk, 1020–1035
movements of female black bears in relation to landscape vegetation type in southern Québec, 718–727
spatial mobility of breeding female white-tailed deer in a low-density population, 1329–1334

Honeysuckle, Japanese: 355, 1322–1326
Honeysuckle, tartarian: 1431
Hoodless, Andrew N., *see* Draycott, Roger A. H.
Hoover, Suzanne E., and Michael R. Conover. Effectiveness of volatile irritants at reducing consumption of eggs by captive coyotes, 399–405
Hoplodactylus maculatus, see Gecko, common
Hordeum spp., *see* Barley
Horn, ram's: 173
Hornbeam: 355, 1343
Hornocker, Maurice G., *see* Ruth, Toni K.
Horns:
effects of population density on horn development in bighorn rams, 1011–1020
Horse, feral: 243, 749
Horse, Przewalski's: 243
Hubbard, Michael W., Ling-Ling C. Tsao, Erwin E. Klaas, Mark Kaiser, and Dewaine H. Jackson. Evaluation of transmitter attachment techniques on growth of wild turkey poults. 1574–1578
Huckleberry, red: 238, 240
Hummingbird, Anna's: 490
Hummingbird, broad-tailed: 479
Hummingbird, ruby-throated: 79, 81, 1414, 1422–1426, 1491
Humphrey, John S., *see* Avery, Michael L.
Hunter, Russel L., *see* Gustafson, Laura L.
Hunting: 718, 720, 727–732, 917–918, 923, 1011–1019, 1036–1044, 1055–1065, 1076, 1084, 1101, 1129, 1257, 1261, 1266, 1271–1272, 1283, 1335–1339, 1444, 1447–1449, 1491, 1497, 1504, 1512–1519, 1521–1531
effects of agricultural activities and hunting on home ranges of female white-tailed deer, 280–285
effects of recreational shooting on prairie dog colonies, 363–372
Huot, Jean, *see* Samson, Claude
Hurst, George A., *see* Miller, Darren A.
Hybridization: 134, 142, 933–937
testing for wolf-coyote hybridization in the Rocky Mountains using mitochondrial DNA, 683–689
Hydropotes inermis, see Deer, Chinese water
Hygnstrom, Scott E., *see* Vercauteren, Kurt C.
Hylocichla mustelina, see Thrush, wood
Hymenoclea salsola, see Cheesebush
Hymenoptera: 512
Hypothermia: 659–661

I

Icteria virens, see Chat, yellow-breasted
Icterus bullockii, see Oriole, Bullock's
Icterus glabula, see Oriole, Baltimore
Ictinia mississippiensis, see Kite, Mississippi
Idaho: 1, 683–687, 732, 1055–1065, 1255–1263, 1272, 1313–1320, 1382, 1461
Idionycteris phyllotis, see Bat, Allen's lappet-browed
Ilex opaca, see Holly, American
Illinois: 84, 112, 113, 116, 562, 854–863, 895–902, 1376–1377
Immigration: 179
Immobilization:
ketamine-medetomidine or isoflurane immoblization of black-footed ferrets, 654–662
life-history effects of chemical immobilization and radiocollars on mountain goats, 745–752
Impala: 1168, 1176
Impatiens pallida, see Jewelweed
Implant, intra-abdominal: 1451–1460
Implant, subcutaneous: 1451–1460
Indiana: 84, 347
Indigo: 315
Innoko National Wildlife Refuge: 968–976
Insecta: 512
Insecticide:
effects of foliar insecticides on survival of northern bobwhite quail chicks, 1565–1573
International Union for the Conservation of Nature and Natural Resources: 171, 833
International Whaling Commission: 290
Interspecific competition: 237, 355, 1300, 1305, 1360
Interspecific interaction: 138–139
Intraspecific competition: 1018–1019, 1031
Invertabrates, aquatic macro-: 124–131
Iowa: 36–37, 40–41, 84, 283–284, 1574–1578
Irby, Lynn R., *see* Vosburgh, Timothy C.
Iris lactea: 60
Ironweed, western: 1169
Ironwood: 1077, 1386
Irritants, volatile trigeminal: 399
Isle Royale National Park: 1, 674–679, 1167, 1171, 1173
Isoamyl nitrite: 400–403
Isoflurane: 654–661
Isomeris arborea, see Bladderpod
Isopoda: 566
Isotopic water dilution: 406–408
Israel: 435
Italy: 1086–1094
IUCN, *see* International Union for the Conservation of Nature and Natural Resources
Ivy, poison: 281
Ixobrychus exilis, see Bittern, lesser
Ixoreus naevius, see Thrush, varied

J

Jack-in-the-pulpit: 1078, 1080, 1082
Jackals, black-backed: 697
Jackrabbit, black-tailed: 374, 475, 709, 776
Jackson, Dewaine H., *see* Hubbard, Michael W.
Jacobson, Harry A., *see* Lukefahr, Steven D.
Jaeger, Michael M., *see* Conner, Mary M.
——, *see* Neale, Jennifer C. C.
James, Frances C., *see* Hess, Charles A.
Japan: 286–291

Jay, blue: 79, 534–535, 537, 1394, 1414, 1422–1426, 1434, 1436, 1440, 1490
Jay, gray: 1423–1426
Jay, pinyon: 479
Jay, Steller's: 382, 479, 491, 493, 930
Jay, western scrub-: 478–479, 490
Jenkins, Roger A., *see* Whitlaw, Heather A.
Jewelweed: 1078, 1080
Johnson, A. Sydney, *see* Stromayer, Karl A
Johnson, Bruce K., Alan A. Ager, Scott L. Findholt, Michael J. Wisdom, David B. Marx, John W. Kern, and Larry D. Bryant. Mitigating spatial differences in observation rate of automated telemetry systems, 958–967
Johnson, Douglas H., *see* Sargeant, Glen A.
——, *see* Cox, Robert R., Jr.
Johnson, Glenn, and Donald J. Leopold. Habitat management for the eastern massasauga in a central New York peatland, 84–97
Johnson, Warren E., *see* Gustafson, Laura L.
Johnson's method: 796–800
Johnston, John J., Lamar A. Windberg, Carol A. Furcolow, Richard M. Engeman, and Marianna Roetto. Chlorinated benzenes as physiological markers for coyotes, 410–421
Jordan, Peter, A., *see* Augustine, David J.
Jorgensen, Eric E., Stephen Demarais, Scott M. Sell, and Scott P. Lerich. Modeling habitat suitability for small mammals in Chihuahuan Desert foothills of New Mexico, 989–996
Jorgenson, Jon T., Marco Festa-Bianchet, and William D. Wishart. Effects of population density on horn development in bighorn rams, 1011–1020
Juglans nigra, see Walnut, black
Junco, dark-eyed: 382–383, 491
Junco hyemalis, see Junco, dark-eyed
Juncus roemerianus, see Rush, black needle
Juncus spp., *see* Rushes
Juniper: 613
Juniper, dwarf: 303
Juniper, one-seed: 475, 478
Juniper, Utah: 215, 613, 1248
Juniperus communis, see Juniper, dwarf
Juniperis monosperma, see Juniper, one-seed
Juniperus deppeana, see Juniper
Juniperus osteoperma, see Juniper, Utah
***Juniperus oxycedrus*:** 1087
Juniperus virginiana, see Cedar, eastern red-

K

K-nearest neighbor:
analysis of stable isotope data: a k-nearest neighbors randomization test, 380–388
Kaiser, Mark, *see* Hubbard, Michael W.
Kalcounis, Matina C., and R. Mark Brigham. Secondary use of aspen cavities by tree-roosting big brown bats, 603–611
Kalmia angustifolia, see Laurel, sheep
Kaminski, Richard M., *see* Gordon, David H.
Kangaroo, eastern gray: 767
Kansas: 560, 562, 1300–1306
Kato, Thomas T., *see* Koopman, Marni E.
Kawula, Robert J., *see* Ryan, Daniel C.
Kendall, Steven J., *see* Kuletz, Katherine J.
Kennamer, Robert A., I. Lehr Brisbin, Jr., Clark D. McCreedy, and Joanna Burger. Radiocesium in mourning doves: effects of a contaminated reservoir drawdown and risk to human consumers, 497–508
Kenyon, Mary Jo, *see* Avery, Michael L.
Kern, John W., *see* Johnson, Bruce K.
Kestrel, American: 436, 441, 881, 1386, 1460, 1490
Ketamine-medetomidine: 654–661
Kilgo, John C., Robert A. Sargent, Brian R. Chapman, and Karl V. Miller. Effect of stand width and adjacent habitat on breeding bird communities in bottomland hardwoods, 72–83
——, *see* Sargent, Robert A.
Killdeer: 1423–1426, 1490
Kimmel, Richard O., *see* Haroldson, Kurt J.
King, Rudy M., *see* McClean, Seth A.
Kingbird, eastern: 1423–1426, 1490
Kingbird, western: 479, 490, 492, 494
Kingfisher, belted: 1490
Kinglet, golden-crowned: 1423–1426
Kinglet, ruby-crowned: 491
Kirchhoff, Matthew D., and Douglas N. Larsen. Dietary overlap between native Sitka black-tailed deer and introduced elk in Southeast Alaska, 236–242
Kishino, Hirohisa, *see* Yoshida, Hideyoshi
Kite, Mississippi: 81
nest-site characterization and reproductive success of Mississippi kites in the Mississippi River floodplains, 1373–1378
Kite, snail: 826, 836
Kite, swallow-tailed: 81
Klaas, Erwin E., *see* Hubbard, Michael W.
Klein, Wendi C., *see* Van Dyke, Fred G.
Koeleria cristata, see Grass, prairie June-
Koopman, Marni E., Jerry H. Scrivner, and Thomas T. Kato. Patterns of den use by San Joaquin kit foxes, 373–379
Kopp, Steven D., Fred S. Guthery, N. David Forrester, and Will E. Cohen. Habitat selection modeling for northern bobwhites on subtropical rangeland, 884–895
——, *see* Forrester, N. David
Koyukuk National Wildlife Refuge: 968–976
Krascheninnikovia lanata, see Winterfat
Krausman, Paul R., Mark C. Wallace, Charles L. Hayes, and Donald W. DeYoung. Effects of jet aircraft on mountain sheep, 1246–1254
Kreeger, Terry J., Astrid Vargas, Glenn E. Plumb, and E. Tom Thorne. Ketamine-medetomidine or isoflurane immoblization of black-footed ferrets, 654–662

Krementz, David G., *see* Berdeen, James B.
Kubisiak, John F., *see* Paisley, R. Neal
——, *see* Rolley, Robert E.
Kuck, Lonn, *see* Unsworth, James W.
Kudu: 1168, 1176
Kuletz, Katherine J., and Steven J. Kendall. A productivity index for marbled murrelets in Alaska based on surveys at sea, 446–460
Kuvlesky, William P., Jr., *see* Guthrey, Fred S.
Kyllinga nervosa: 1170

L

Labisky, Ronald F., and Duane E. Fritzen. Spatial mobility of breeding female white-tailed deer in low-density population, 1329–1334
Labonté, Johanne, Jean-Pierre Ouellet, Réhaume Courtois, and Francis Bélisle. Moose dispersal and its role in the maintenance of harvested populations, 225–235
Lactobacillus acidophilus: 1462
Lagomorph: 707–715
Lagopus lagopus, see Ptarmigan, willow
Lama glama, see Llama
Lama guanicoe, see Guanaco
Lama paco, see Alpaca
Landon, David B., Carol A. Waite, Rolf O. Peterson, and L. David Mech. Evaluation of age determination techniques for gray wolves, 674–682
Langston, Steve D., *see* Gill, Elaine L.
Lanka, Robert P., *see* Anderson, Charles R., Jr.
Laprtea canadensis, see Nettle, wood
Larch, western: 1350–1357, 1380
Larius niger, see Ant, black
Larivière, Serge, and François Messier. Spatial organization of a prairie striped skunk population during the waterfowl nesting season, 199–204
Larix laricina, see Tamarack
Larix occidentalis, see Larch, western
Larix sibirica: 60
Larrea tridentata, see Creosotebush
Larsen, Douglas N., *see* Kirchhoff, Matthew D.
LaRue, Edward L., Jr., *see* Freilich, Jerome E.
Larus argentatus, see Merganser, hooded
Larus argentatus, see Gull, herring
Larus delawarensis, see Gull, ring-billed
Larus fuscus, see Gull, lesser black-backed
Larus glaucescens, see Gull, glaucous-winged
Larus novaehollandiae, see Gull, red-billed
Lasionycteris noctivagans, see Bat, silver-haired
Lasius niger, see Ant, black
Lathyrus venosus, see Pea, veiny
Laurel, sheep: 1229
Lautenschlager, R. A., *see* Sullivan, Thomas P.
Lavender, Denis P., *see* Von Trebra, Charlotte
Lead plant: 315
Lead shot:
settlement rate of lead shot in tundra wetlands, 1099–1102
shot prevalences and diets of diving ducks five years after ban on lead shotshells at Catahoula Lake, Louisiana, 564–569
Lead toxicosis: 564–567, 1099–1102
effect of lead poisoning on spectacled eider survival rates, 1103–1109
Leatherleaf: 85
Ledum groenlandicum, see Tea, Labrador
Ledum palustre: 60
Leeming, J. P., *see* Cole, Elizabeth C.
Lehnhausen, William A., *see* Murphy, Edward C.
Leiolopisma nigriplantare, see Skinks, common
Lemming, northern bog: 1199
Lemna spp.: 1534
Leopold, Bruce D., *see* Miller, Darren A.
Leopold, Donald J., *see* Johnson, Glenn
Lepidochelys olivacea, see Turtle, olive ridley
Lepidoptera: 511–512
Leptochloa fascicularis, see Sprangletop, bearded
Lepus americanus, see Hare, Snowshoe
Lepus californicus, see Jackrabbit, black-tailed
Lepus europaeus, see Hare, brown
Lepus timidus, see Hare, mountain
Lepus tolai, see Rabbit, Tolai
Lerich, Scott P., *see* Jorgensen, Eric E.
Lethal dose: 388–389, 393
Leucothoe axillaris, see Hobble, dog
Leukemia, feline:
epidemiology of feline leukemia virus (FeLV) and structure of domestic cat populations, 978–988
Leymus chinesis: 60
Lhagvasuren, Badamjavin, *see* Reading, Richard P.
Licania michauxii, see Gopher apple
Lichen: 250, 252–253
Ligustrum sinense, see Privet, Chinese
Lime, wild: 173
Limnothlypis swainsonii, see Warbler, Swainson's
Lindzey, Frederick G, *see* Anderson, Charles R., Jr.
Linear regression: 948–957
Linz, George M., *see* Avery, Michael L.
Lion, African: 985
Lion, mountain: 692, 700, 968, 1018, 1039–1040
Lipids, plasma: 520–526
Liquidambar styraciflua, see Gum, sweet-
Liriodendron tulipifera, see Poplar, tulip
Lithocarpus densiflorus, see Oak, tan-
Litterfall: 250–254
Llama: 29
Lobaria spp.: 239
Locust: 613
Locust, black: 1431
Logan, Kenneth A., *see* Ruth, Toni K.
Lokemoen, John T., *see* Cowardin, Lewis M.
Lolium spp., *see* Grass, rye
Longcore, Jerry R., David A. Clugston, and Daniel G. McAuley. Brood size of sympatric American black ducks and mallards in Maine, 142–151
——, *see* McAuley, Daniel G.
Lonicera japonica, see Honeysuckle, Japanese

Lonicera tatarica, see Honeysuckle, tartarian
Loon, arctic: 168
Lophodytes cucullatus, see Sandpiper, least
LORAN-C: 958–966, 1257
Louisiana: 564–567, 686, 1512–1521, 1539
Loxia curvirostra, see Crossbill, red
Loxodonta africana, see Elephant, African
Luce, Bob, *see* Biggins, Dean E.
Ludiman, Mark N., *see* Draycott, Roger A. H.
Lukefahr, Steven D., and Harry A. Jacobson. Variance component analysis and heritability of antler traits in white- tailed deer, 262–268
Lutra canadensis, see Otter, river
Luukkonen, David R., *see* Niewoonder, John A.
Lycium andersonii, see Thorn, Anderson desert
Lynx: 52, 54, 56, 968, 1204
comparison of proposed survey procedures for detection of forest carnivores, 1217–1226
Lynx canadensis, see Lynx
Lyrurus tetrix, see Grouse, black
Lysichiton americanum, see Cabbage, skunk
Lysiloma latisiliquum, see Tamarind, wild

M

MacArthur, Robert A., *see* Campbell, Kevin L.
Macaw: 1477
MacCharles, Andrea M., *see* Mahoney, Shane P.
MacInnes, Charles D., *see* Schubert, Claudia A.
Madrone: 691, 1399
Madsen, Aksel B., *see* Ujvári, Marianne
Magnolia, sweetbay: 73, 511–512, 515
Magnolia virginiana, see Magnolia, sweetbay
Magoun, Audrey J., and Jeff Copeland. Characteristics of wolverine reproductive den sites, 1313–1320
Magpie, black-billed: 479, 930, 1460–1479
Mahogany, true mountain-: 215, 478
Mahoney, Shane P., John A. Virgl, David W. Fong, Andrea M. MacCharles, and Michael McGrath. Evaluation of a mark-resighting technique for woodland caribou in Newfoundland, 1227–1235
Mahonia, creeping: 613
Maier, Julie A. K., Stephen M. Murphy, Robert G. White, and Michael D. Smith. Responses of caribou to overflights by low-altitude jet aircraft, 752–766
Maine: 1–8, 135, 138–139, 142, 145–147, 250–253, 337, 670,
Majewski, Przemyslaw, *see* Rolstad, Jørund
Malheur National Forest: 1379–1384
Malus fusca, see Crab apple, Pacific
Mange, sarcoptic: 1497
Mangrove: 171–176
Mangrove, Bahamas: 172
Mangrove, black: 172
Manitoba: 182, 193, 196, 293–294, 296, 686, 719, 1142–1144
Mannan, R. William, *see* Boal, Clint W.
Manzanita: 323, 691
Maple: 113, 270, 355, 1431
Maple, bigleaf: 1207, 1402
Maple, boxelder: 1374
Maple, mountain: 251–252, 530, 1167
Maple, red: 73, 85, 88, 251–252, 530, 570, 585, 720, 1322, 1336, 1386, 1412, 1418, 1420, 1425–1426, 1481
Maple, silver: 1373–1374, 1376
Maple, striped: 251–252, 530, 1167
Maple, sugar: 251–252, 530, 720, 1076–1077, 1167, 1169, 1336, 1386, 1412
Marboutin, Eric, and Kurt Hansen. Survival rates in a nonharvested brown hare population, 722–779
Maremma National Park: 1087–1093
Marinari, Paul E., *see* Biggins, Dean E.
Mark-recapture method: 1342–1347, modeling and evaluation of ear tag loss in black bears, 1292–1300
Mark-resighting method: 1227–1234
Marmot, Siberian: 59–60, 64–66, 71
Marmota sibirica, see Marmot, Siberian
Marten, American: 380, 382, 1204, 1307, 1317
characteristics of American marten den sites in Wyoming, 663–673
comparison of proposed survey procedures for detection of forest carnivores, 1217–1226
Martin, purple: 1490
Marx, David B., *see* Johnson, Bruce K.
Maryland: 437
Marzluff, John M., *see* Whitmore, Kathryn D.
Massachusetts: 116, 443
Massei, Giovanna, Philip Bacon, and Peter V. Genov. Fallow deer and wild boar pellet group disappearance in a Mediterranean area, 1086–1094
Mast: 303, 732, 904, 1323, 1325
Matagouri: 46
Matchett, Marc R., *see* Biggins, Dean E.
Matchweed, californis: 374, 708
Mathews, Nancy E., *see* Goguen, Christopher B.
Matrix models: 823–824, 834
Matson, Gary M., *see* Harshyne, Wendi A.
Mauricie National Park: 718–725
McAuley, Daniel G., David A. Clugston, and Jerry R. Longcore. Outcome of aggressive interactions between American black ducks and mallards during the breeding season, 134–141
——, *see* Longcore, Jerry R.
McCabe, Thomas R., *see* Young, Donald D., Jr.
McClean, Seth A., Mark A. Rumble, Rudy M. King, and William L. Baker. Evaluation of resource selection methods with different definitions of availability, 793–801
McComb, William C., *see* Cole, Elizabeth C.
——, *see* Ormsbee, Patricia C.
McCreedy, Clark D., *see* Kennamer, Robert A.
McCullough, Dale R., *see* Conner, Mary M.
——, *see* Neale, Jennifer C. C.
McGarth, Michael, *see* Mahoney, Shane P.

McGowan, Donald P., Jr., and David L. Otis. Population demographics of two local South Carolina mourning dove populations, 1443–1451
McKee, Gwen, Mark R. Ryan, and Larry M. Mechlin. Predicting greater prairie-chicken nest success from vegetation and landscape characteristics, 314–321
McKnight, S. Keith, and Gary R. Hepp. Diet selectivity of gadwalls wintering in Alabama, 1533–1543
McLeod, Mary Anne, and David E. Andersen. Red-shouldered hawk broadcast surveys: factors affecting detection of responses and population trends, 1385–1397
McNaughton, Samuel J., *see* Augustine, David J.
Meadowlark, eastern: 1491
Meadowlark, western: 467–468, 490
Mech, L. David, *see* Landon, David B.
Mechlin, Larry M., *see* McKee, Gwen
Medicago sativa, see Alfalfa
Medicine Bow National Forest: 663
Mediterranean:
fallow deer and wild boar pellet group disappearance in a Mediterranean area, 1086–1094
Medullary paralysis: 660
Melanerpes carolinus, see Woodpecker, red-bellied
Melanerpes formicivorus, see Woodpecker, acorn
Meleagris gallopavo merriami, see Turkey, Merriam's
Meleagris gallopavo silvestris, see Turkey, eastern wild
Melilotus officinalis, see Clover, sweet
Melospiza georgiana, see Sparrow, swamp
Melospiza lincolnii, see Sparrow, Lincoln's
Melospiza melodia, see Sparrow, song
Menzesia ferruginea: 237, 239, 381
Mephitis mephitis, see Skunk, striped
Merganser, hooded: 1490
Meriones unguiculatus, see Gerbils, Mongolian
Merlin: 436, 441
Meslow, E. Charles, *see* Hershey, Katherine T.
Mesocosm trial: 1565
Mesocricetus auratus, see Hamster
Mesquite: 867, 869
Mesquite, honey: 552–554
Mesquite, velvet: 554
Messier, François, *see* Larivière, Serge
Metapopulation: 822–823, 826–831, 834–835, 1531
Methyl anthranilate:
laboratory evaluation of a methyl anthranilate bead formulation on mallard feeding behavior, 581–584
Metopium toxiferum, see Wood, poison
Mexico: 363, 550, 686, 953–954, 1517, 1522, 1529
Michigan: 1–3, 8–9, 84, 205, 207, 211, 262, 303, 674–675, 686, 933–937
Microtus longicaudas, see Vole, long-tailed
Microtus oecnomus, see Vole, tundra
Microtus oregoni, see Vole, creeping
Microtus pennsylvanicus, see Vole, meadow
Microtus townsendii, see Vole, Townsend's
Midden, red squirrel: 663–671
Midges: 130
Midwinter Inventory: 142, 149
Migrants, Neotropical:
depredation rates and predators at artificial bird nest in an unfragmented northern hardwoods forest, 529–539
effect of stand width and adjacent habitat on breeding bird communities in bottomland hardwoods, 72–83
short-term effects of understory and overstory management on breeding birds in Arkansas; oak-hickory forests, 1411–1417
songbird community composition and nesting success in grazed and ungrazed pinyon-juniper woodlands, 474–484
Migration: 208–212, 280, 339, 1033, 1173–1174, 1176
long-term counts of migrating raptors: a role for volunteers in wildife research, 435–445-Invited paper
migration patterns of black brant in Boundary Bay, British Columbia, 1522–1532
Migratory Bird Treaty Act: 1099
Milfoil, Eurasian water-: 1533–1541
Milkweed: 315
Miller, C. Richard, *see* Green, Heather
Miller, Darren A., Bruce D. Leopold, and George A. Hurst. Reproductive characteristics of a wild turkey population in central Mississippi, 903–910
———, Loren W. Burger, Bruce D. Leopold, and George A. Hurst. Survival and cause-specific mortality of wild turkey hens in central Mississippi, 306–313
Miller, Karl V., *see* Kilgo, John C.
——, *see* Sargent, Robert A.
Millet, wild: 1147–1149
Milo: 1147–1149
Mimus polyglottos, see Mockingbird, northern
Mingan Archipelago National Park Reserve: 186
Minimum viable population: 821, 826
Mink: 36, 40, 131, 153, 181, 382, 850
Minnesota: 1–9, 42, 84, 152–160, 302–303, 337, 674–678, 681, 1076–1084, 1235–1245, 1271, 1385–1396, 1418–1430
Minnow, fathead: 124–126, 130
Mississippi: 262, 306–312, 903–910, 1373–1378, 1496
Mississippi River: 116, 1373–1378
Missouri: 84, 116, 283, 311, 314–319, 1147–1148, 1373–1378, 1452, 1504
Mistletoe, dwarf: 613–614, 1349–1357, 1400
Mitochondrial DNA:
testing for wolf-coyote hybridization in the Rocky Mountains using mitochondrial DNA, 683–689
Mix, Henry, *see* Reading, Richard P.
Mladenoff, David J., and Theodore A. Sickley. Assessing potential gray wolf restoration in the northeastern United States: a spatial prediction

of favorable habitat and potential population levels, 1–10 - Invited paper
Mniotilta varia, see Warbler, black-and-white
Mockingbird, northern: 1491
Moen, R. A., J. Pastor, and Y. Cohen. Accuracy of GPS telemetry collar locations with differential correction, 808–810 - Corrigendum
Moffitt, Steven A. Aging bison by the incremental cementum growth layers in teeth, 1276–1280
Mojave desert: 590–595
Mole, coast: 1210, 1212
Mole, shrew-: 1210, 1212, 1214
Mole, starnose: 93
Mole, Townsend's: 1210
Mollusca: 566
Molothrus ater, see Cowbird, brown-headed
Moneses uniflora, see Wintergreen, one-flowered
Mongolia: the commercial harvest of wildlife in Dornod Aimag, Mongolia, 59–71
Mongoose, Indian: 171
Montana: 163–165, 363–364, 369, 643–651, 654, 669–670, 683–687, 1020–1034, 1055–1065, 1217–1226, 1277
Monte Carlo simulation: 802, 1389, 1419
Moody, David S., *see* Anderson, Charles R., Jr.
Moore, Joseph L., William L. Hohman, Timothy M. Stark, and Gary A. Weisbrich. Shot prevalences and diets of diving ducks five years after ban on lead shotshells at Catahoula Lake, Louisiana, 564–569
Moorhen, common: 1482–1488, 1490
Moose: 4, 6, 59, 277, 636, 676, 745, 749–750, 808, 972, 975, 978, 1011, 1021, 1059, 1167, 1173, 1175–1176, 1185, 1276
moose dispersal and its role in the maintenance of harvested populations, 225–235
Mopane tree: 604, 1174
Moran, Christine L., *see* Grand, James B.
Morrison, Michael L., *see* Aigner, Paul A.
Mortality: 24, 36, 581
causes and rates of mortality of swift foxes in western Kansas, 1300–1306
detection of early pregnancy in caribou: evidence for embryonic mortality, 1066–1075
survival and cause-specific mortality of wild turkey hens in central Mississippi, 306–313
Moss, Spanish: 80
Moul, Ian E., *see* Elliott, John E.
Mouse, cactus: 992–994
Mouse, deer: 536, 630–640, 930, 991–994, 1196–1205, 1207–1216
Mouse, desert pocket: 991–994
Mouse, harvest: 991–994
Mouse, house: 46, 1210
Mouse, Keen's deer-: 381, 383, 385–386
Mouse, meadow jumping: 93
Mouse, Mearn's grasshopper: 992
Mouse, Mearn's pocket: 991–994
Mouse, Pacific jumping: 1210, 1212, 1214
Mouse, plain pocket: 991–994
Mouse, rock pocket: 991–994
Mouse, silky pocket: 992–994
Mouse, western jumping: 1199
Mouse, white-footed: 93, 991–994
Mouse, woodland jumping: 536
Muhlenbergia montana, see Muhly, mountain
Muhly, mountain: 613
Mullein, woolly: 46
Multiresponse permutation procedure: 796–800, 905, 1025–1026
Multiple broods: the effect of multiple brooding on age ratios of quail, 540–549
Murphy, Edward C., and William A. Lehnhausen. Density and foraging ecology of woodpeckers following a stand-replacement fire, 1359–1372
Murphy, Stephen M., *see* Maier, Julie A. K.
Murrelet, Kittlitz's: 449
Murrelet, marbled: 824, 830
a productivity index for marbled murrelets in Alaska based on surveys at sea, 446–460
Mus musculus, see Mouse, house
Muscadine: 355
Muskox: 750, 1067
dynamics and range expansion of a reestablished muskox population, 734–744
Muskrat:
seasonal changes in water flux, forage intake, and assimilated energy of free-ranging muskrats, 292–299
Mustela erminea, see Stoat
Mustela eversmanni, see Polecat, Siberian
Mustela eversmannii, see Polecat, steppe
Mustela frenata, see Weasel, long-tailed
Mustela furo, see Ferrets, feral
Mustela nigripes, see Ferret, black-footed
Mustela nivalis, see Weasel
Mustela putorius, see Polecat, European
Mustela vison, see Mink
MWI, *see* Midwinter Inventory
Myiarchus cinerascens, see Flycatcher, ash-throated
Myiarchus crinitus, see Flycatcher, great-crested
Myotis auriculus, see Myotis, southwestern
Myotis evotis, see Myotis, long-eared
Myotis, fringed: 612, 614
Myotis, long-eared: 600, 612, 614, 998
Myotis, long-legged: 612, 614, 998
selection of day roosts by female long-legged myotis in the central Oregon Cascade Range, 596–603
Myotis lucifugus, see Bat, little brown
Myotis occultus, see Bat, Arizona occult
Myotis sodalis, see Bat, Indiana
Myotis, southwestern: 612, 614
Myotis thysanodes, see Myotis, fringed
Myotis volans, see Myotis, long-legged
Myotis, Yuma: 597, 998
Myotis yumanensis, see Myotis, Yuma
Myrica cerifera, see Myrtle, wax
Myrica inodora, see Myrtle, odorless wax-

Myriophyllum spicatum, see Milfoil, Eurasian water-
Myrtle, odorless wax-: 512
Myrtle, wax: 515, 1128

N

Namadgi National Park: 766–767
Napaeozapus insignis, see Mouse, woodland jumping
Napthaldehyde: 400–403
National Bison Range: 1277–1279
National Black-footed Ferret Conservation Center: 644, 655
National Elk Refuge: 1036–1044, 1055–1065
National Marine Fisheries Service: 948
National Wetlands Inventory: 153
Natural Resources Conservation Service: 1481
Neale, Jennifer C. C., Benjamin N. Sacks, Michael M. Jaeger, and Dale R. McCullough: a comparison of bobcat and coyote predation on lambs in north-coastal California, 700–706
Nebraska: 281
Nematoda: 566
Nemopanthus mucronata, see Holly, shrub mountain-
Neophocaena phocaenoides, see Porpoise, finless
Neotoma albigula, see Rat, white-throated wood-
Neotoma cinerea, see Rat, bushy-tailed wood-
Neotoma micropus, see Rat, southern plains wood-
Nettle, wood: 1076, 1078–1082
Neu method: 796–900
Neurotrichus gibbsii, see Mole, shrew-
Nevada: 182, 1246–1254, 1266
New England: 442, 1545
New Hampshire: 1, 4–5, 7, 8, 303, 529, 530, 534, 536
New Jersey: 435, 437, 442, 1517
New Mexico: 474–481, 550–555, 989–995, 1264–1275, 1382
New York: 1–8, 442, 1395, 1480–1490, 1492–1505
New Zealand: 45, 56, 1168
Newfoundland: 671, 1227–1235
Newsome, Alan E., *see* Banks, Peter B.
Newt, red-spotted: 584–587
Newton, Michael, *see* Cole, Elizabeth C.
Niche overlap: 354–361
Niemi, Gerald J., *see* Schulte, Lisa A.
Niewoonder, John A., Harold H. Prince, and David R. Luukkonen. Survival and reproduction of female Sichuan, ring-necked, and F_1 hybrid pheasants, 933–938
Nighthawk: 476, 1423–1426
Nightshade, enchanter's: 1076, 1078, 1080
Nonlethal techniques: 399
  anthraquinone formulation (Flight Control®) shows promise as avian feeding repellent, 1558–1564
Norbury, Dale C., *see* Norbury, Grant L.
Norbury, Grant L., Dale C. Norbury, and Richard P. Heyward. Behavioral responses of two predator species to sudden decline in primary prey, 45–58
North American Waterfowl Management Plan: 149, 199
North Carolina: 511, 513, 570, 719, 727–731, 1127–1134, 1135–1142, 1566–1572
North Dakota: 125, 152–160, 195–196, 388–389, 1277–1280
Northern Prairie Wildlife Research Center: 152, 166
Northwest Territories: 179, 182–183
Notophthalmus viridescens, see Newt, red-spotted
Nova Scotia: 140, 146, 149
Nowotny, Christopher, *see* Sullivan, Thomas P.
Nudds, Thomas D., *see* Schubert, Claudia A.
Nuthatch, pygmy: 479
Nuthatch, red-breasted: 479, 1422–1426
  influence of forest structure and diseases on nest-site selection by red-breasted nuthatches, 1349–1358
Nuthatch, white-breasted: 479, 490, 1411, 1414–1416, 1423–1426
Nycticorax nycticorax, see Heron, black-crowned night
Nymphaea spp., *see* Waterlily
Nymphicus hollandicus, see Cockatiel
Nyssa aquatica, see Tupelo, water
Nyssa spp.: 566
Nyssa sylvatica, see Gum, black
Nyssa sylvatica var. *biflora, see* Tupelo, swamp

O

Oak: 113, 121, 270, 348, 355, 478, 585, 732, 911, 918, 1094, 1167, 1322, 1343, 1411–1416, 1431, 1439
Oak, black: 116, 691, 1412
Oak, blue: 486, 489, 492, 691
Oak, bur: 794, 1386
Oak, California black: 486, 489
Oak, cherrybark: 73
Oak, Gambel: 215, 613–614, 617, 926
Oak, interior live: 486, 489, 492, 691
Oak, laurel: 73
Oak, live: 885, 1506
Oak, overcup: 73
Oak, pedunculate: 1169
Oak, poison: 486
Oak, post: 1169
Oak, red: 116, 251–252, 303, 940, 1386, 1412
Oak, scarlet: 116
Oak, scrub: 1386
Oak, shumard: 116
Oak, tan-: 1399
Oak, turkey: 350
Oak, valley: 486, 691
Oak, water: 73
Oak, white: 116, 940, 1386, 1399, 1412
Oats: 199, 691, 911
Observer bias:
  importance of observer experience in finding desert tortoises, 590–596
Oconee National Forest: 939–940
Odocoileus hemionus columbianus, see Deer, Columbian black-tailed

Odocoileus hemionus crooki, see Deer, desert mule
Odocoileus hemionus, see Deer, mule
Odocoileus hemionus sitkensis, see Deer, Sitka black-tailed
Odocoileus virginianus, see Deer, white-tailed
Ohio: 84, 262, 1559–1564
Oil, mineral: effectiveness of several oils to reduce hatchability of chicken eggs, 395–398
Oilseed rape: 558, 882
Oklahoma: 555
Old-growth: 11–12, 20, 446, 487, 495, 596, 671, 1076, 1370, 1379–1381, 1406, 1408
Olea europaea, see Olive, European
Olive, autumn: 1431
Olive, European: 867
Olson, Rob, and Frank C. Rohwer. Effects of human disturbance on success of artificial duck nests, 1142–1146
Olympic National Park: 240
Onchorhynchus gorbuscha, see Salmon, Pacific
Onchorhynchus keta, see Salmon, Pacific
Onchorhynchus kisutch, see Salmon, Pacific
Ontario: 84, 135, 139–140, 148–149, 609, 622–626, 674–676, 718, 1197, 1545
Onychomys arenicola, see Mouse, Mearn's pocket
Oplopanax horridus, see Devil club
Oporonis tolmiei, see Warbler, MacGillivray's
Oporornis agilis, see Warbler, mourning
Oporornis formosus, see Warbler, Kentucky
Opossum, Virginia: 906, 913, 1210, 1243
Oreamnos americanus, see Goat, mountain
Oregon: 20–21, 116, 182, 322–333, 446, 457, 461–470, 525, 596–602, 670, 958–966, 1003–1009, 1055–1065, 1207–1216, 1356, 1367, 1379–1384, 1398–1410
Oregon Cascade Range: 596–601
Oregon Coast Range: 1207–1216
Oreortyx picta, see Quail, mountain
Organophosphate toxicosis: 1303, 1566–1572
Oriole, Baltimore: 1490
Oriole, Bullock's: 491–492, 494
Ormsbee, Patricia C., and William C. McComb. Selection of day roosts by female long-legged myotis in the central Oregon Cascade Range, 596–603
Ortega, Catherine P., Joseph C. Ortega, Cristin A. Rapp, and Stacia A. Backensto. Validating the use of artificial nests in predation experiments, 925–932
Ortega, Joseph C., *see* Ortega, Catherine P.
Orthoptera: 512
Oryctolagus cuniculus, see Rabbit, European
Oryza sativa, see Rice
Osborne, Timothy O., *see* Becker, Earl F.
Osceola National Forest: 1330–1332
Osprey: 436
Ostracoda, *see* Shrimp, seed
Ostrya virginiana, see Hornbeam
Ostrya virginiana, see Ironwood
Otis, David L., *see* McGowen, Donald P., Jr.
Otis tarda, see Bustard, great
Otter, river: 382, 850, 968
Otter, sea: 1292, estimating survival rates with age-structure data, 779–792
Ouellet, Jean-Pierre, *see* Labonté, Johanne
Ovenbird: 531, 1411, 1414–1416, 1422–1426
Ovibos moschatus, see Muskox
Ovis canadensis mexicana, see Sheep, desert, bighorn
Ovis canadensis, see Sheep, bighorn
Ovis dalli, see Sheep, Dall's
Owl, barred: 79, 536, 1386
Owl, great horned: 307, 309, 1301, 1303, 1377, 1385–1394
Owl, Mexican spotted: 1406
Owl, northern pygmy-: 490, 492, 494
Owl, saw-whet: 536
Owl, spotted: 837, 1370
characteristics of forests at spotted owl nest sites in the Pacific northwest, 1398–1410
Ox-eye, sea: 1128
Oxygen consumption: 300–301, 303
Ozark-St. Francis National Forest: 1412–1416

P

Pace, Richard M., III, *see* Cox, Robert R., Jr.
Pacific Ocean: 948–955
Paisley, R. Neal, Robert G. Wright, John F. Kubisiak, and Robert E. Rolley. Reproductive ecology of eastern wild turkeys in southwestern Wisconsin, 911–916
Paisley, R. Neal, *see* Rolley, Robert E.
Palm, thatch: 173
Palmer, William E., K. Marc Puckett, John R. Anderson, Jr., and Peter T. Bromley. Effects of foliar insecticides on survival of northern bobwhite quail chicks, 1565–1573
Palmetto: 80
Palo verde: 867, 869
Pandion haliaetus, see Osprey
Panicum spp.: 566, 1566
Panicum spp., *see* Grass, panic
Panicum virgatum, see Grass, switch-
Panleucopenia: 985
Panther, Florida: 985, 1264, 1271–1272
Panthera leo, see Lion, African
Paradis, Sylvain, *see* Bordage, Daniel
Parasitism: 474–483, 486, 925, 997, 1430, 1432, 1438
parasitism of greater prairie-chicken nests by ring-necked pheasants, 854–863
Parelaphostrongylus tenuis, see Worm, meningeal
Parognathus flavescens, see Mouse, plain pocket
Parrot: 1477
Partridge, Daurian: 62
Partridge, gray: 36, 561, 861
Parula americana, see Parula, northern
Parula, northern: 72, 76–81, 1423–1426
Parus bicolor, see Titmouse, tufted

Parus caeruleus, see Tit, blue
Parus carolinensis, see Chickadee, Carolina
Parus gambeli, see Chickadee, mountain
Parus inornatus, see Titmouse, plain
Parus major, see Tit, great
Passe domesticus, see Sparrow, house
Passerculus sandwichensis, see Sparrow, savannah
Passerina amoena, see Bunting, Lazuli
Passerina cyanea, see Bunting, indigo
Pasteurella multocida, see Pasteurellosis
Pasteurellosis: 1040, 1043
Pastor, J., *see* Moen, R. A.
Paxistima myrsinites, see Falsebox
Pea, veiny: 1169
Peanuts: 872–882
Pearson, D. E., *see* Foresman, Kerry R.
Pearson, Dean E., *see* Ruggiero, Leonard F.
Pelton, Michael R., *see* Beringer, Jeff
Penguin: 525
Pennsylvania: 84, 262, 269, 270–278, 303, 347, 435–437, 442, 1281–1290, 1292–1300, 1430–1436, 1438, 1492
Perameles gunnii, see Bandicoot, eastern barred
Perdix dauuricae, see Partridge, Daurian
Perdix perdix, see Partridge, gray
Perisoreus canadensis, see Jay, gray
Pernis apivorus, see Buzzard, honey
Perognathus flavus, see Mouse, silky pocket
Peromyscus keeni, see Mouse, Keen's deer-
Peromyscus leucopus, see Mouse, white-footed
Peromyscus maniculatus, see Mouse, deer
Persea bobonia, see Bay, red
Persimmon: 355
Pesticide, organochlorine: 438–441
Petersen estimate:
alternative approaches to aerial censusing of elk, 1046–1055
evaluation of a mark-resighting technique for woodland caribou in Newfoundland, 1227–1235
Petersen, Margaret R., *see* Grand, James B.
Peterson, Rolf O., *see* Landon, David B.
Petrie, Mark J., Ronald D. Drobney, and David A. Graber. True metabolizable energy estimates of Canada goose foods, 1147–1152
Petrie, Scott A., and Valerie Petrie. Activity budget of white-faced whistling ducks during winter and spring in northern Kwazulu-Natal, South Africa, 1119–1126
Petrie, Valerie, *see* Petrie, Scott A.
Petroleum development: 373–379, 707–708, 710, 715, 742, 1033
Phainopepla: 490, 492, 494
Phainopepla nitens, see Phainopepla
Phalacrocorax auritus, see Cormorant, double-crested
Phalaris spp., *see* Grass, canary
Phalarope, Wilson's: 467–468
Phalaropus tricolor, see Phalarope, Wilson's
Phasianus colchicus, see Pheasant, ring-necked
Phasianus colchicus strauchi, see Pheasant, Sichuan
Pheacomys intermedius, see Vole, heather
Pheasant, ring-necked: 896, 1430, 1575
effects of spring feeding on body condition of captive-reared ring-necked pheasants in Great Britain, 557–563
parasitism of greater prairie-chicken nests by ring-necked pheasants, 854–863
potential risk to ring-necked pheasants from application of toxic bait for blackbird control in South Dakota, 388–394
survival and reproduction of female Sichuan, ring-necked, and F_1 hybrid pheasants, 933–938
survival of ring-necked pheasant chicks during brood rearing, 36–44
Pheasant, Sichuan:
survival and reproduction of female Sichuan, ring-necked, and F_1 hybrid pheasants, 933–938
Phellinus igniarius, see Rot, heart
Phenacomys albipes, see Vole, white-footed
Phenacomys longicaudus, see Vole, red tree
Phenotypic variance: 266
Pheucticus ludovicianus, see Grosbeak, rose-breasted
Pheucticus melanocephalus, see Grosbeak, black-headed
Phloesinus pini, see Beetle, bark
Phocoena phocoena, see Porpoise, harbor
Phoebe, eastern: 1423–1426, 1490
Phosphorus, white: 581, 583
***Phyllirea latifolia*:** 1087
Physiological markers:
chlorinated benzenes as physiological markers for coyotes, 410–421
Phytolacca americana, see Pokeweed
Pica pica, see Magpie, black-billed
Picea abies, see Spruce, Norway
Picea engelmannii, see Spruce, Engelmann
Picea glauca, see Spruce, white
Picea mariana, see Spruce, black
Picea rubens, see Spruce, red
Picea sitchenis, see Spruce, Sitka
Picoides albolarvatus, see Woodpecker, white-headed
Picoides arcticus, see Woodpecker, black-backed
Picoides borealis, see Woodpecker, red-cockaded
Picoides nuttallii, see Woodpecker, Nuttall's
Picoides pubescens, see Woodpecker, downy
Picoides tridactylus, see Woodpecker, three-toed
Picoides villosus, see Woodpecker, hairy
Piedmont National Wildlife Refuge: 354–361
Pietz, Pamela J., *see* Cowardin, Lewis M.
Pigeon, wood-: 873, 882
Pilgrim, Kristine L., Diane K. Boyd, and Stephen H. Forbes. Testing for wolf-coyote hybridization in the Rocky Mountains using mitochondrial DNA, 683–689
Pimephales promelas, see Minnow, fathead
Pine, aleppo: 864, 867
Pine, foothill: 486, 489
Pine, jack: 1336, 1386
Pine, limber: 1021
Pine, loblolly: 73, 306, 359, 903–904, 940, 1439

Pine, lodgepole: 604, 606, 631–632, 664, 667, 669, 670, 1021, 1046, 1056, 1197, 1350–1357, 1380–1381
Pine, longleaf: 73, 348, 359, 509, 516, 1439
Pine, pinyon: 215, 475, 478, 1248
Pine, ponderosa: 322–331, 462, 475, 486, 608, 794, 1256, 1350–1357, 1380–1381, 1399
characteristics of ponderosa pine snag roosts used by reproductive bats in northern Arizona, 612–621
Pine, red: 1386, 1420
Pine, scotch: 12, 60
Pine, shortleaf: 359, 940
Pine, slash: 509
Pine, sugar: 322–323, 325, 1399
Pine, white: 85, 251, 1169, 1386, 1420
Pine, white bark: 1021, 1046
Pintail, northern: 152–153, 157–161, 167, 182, 564, 573–578, 1104
a model of northern pintail productivity and population growth rate, 1110–1118
survival of female northern pintails wintering in southwestern Louisiana, 1512–1521
Pintail, white-cheeked: 177
Pinus albicaulis, see Pine, white bark
Pinus banksiana, see Pine, jack
Pinus contorta, see Pine, lodgepole
Pinus echinata, see Pine, shortleaf
Pinus edulis, see Pine, pinyon
Pinus elliottii, see Pine, slash
Pinus flexilis, see Pine, limber
Pinus halepensis, see Pine, aleppo
Pinus lambertiana, see Pine, sugar
Pinus palustris, see Pine, longleaf
Pinus ponderosa, see Pine, ponderosa
Pinus resinosa, see Pine, red
Pinus sabiniana, see Pine, foothill
Pinus strobus, see Pine, white
Pinus sylvestris, see Pine, scotch
Pinus taeda, see Pine, loblolly
Pipilo chlorurus, see Towhee, green-tailed
Pipilo crissalis, see Towhee, California
Pipilo erythrophthalmus, see Towhee, eastern
Pipilo fuscus, see Towhee, canyon
Pipilo maculatus, see Towhee, spotted
Pipits: 46
Piranga flava, see Tanager, hepatic
Piranga ludoviciana, see Tanager, western
Piranga olivacea, see Tanager, scarlet
Piranga rubra, see Tanager, summer
Pisgah National Forest: 728, 731
Pithecellobium guadelupense, see Horn, ram's
Pituophis catenifer, see Snake, gopher
Pityopsis graminifolia, see Aster, golden
Plankton: 125
Plant communities:
ungulate effects on the functional species composition of plant communities: herbivore selectivity and plant tolerance, 1165–1183 - Invited paper
Plante, Nathalie, *see* Bordage, Daniel
Platanus occidentalis, see Sycamore, American
Platismatia spp.: 239
Plentovich, Sheldon, James W. Tucker, Nicholas R. Holler, and Geoffrey E. Hill. Enhancing Bachman's sparrow habitat via management of red-cockaded woodpeckers, 347–354
Plethodon cinereus, see Salamander, redback
Plover, black-bellied: 1490
Plover, piping: 826
Plover, semipalmated: 1490
Plum, pigeon: 173
Plumb, Glenn E., *see* Kreeger, Terry J.
Plumpton, David L., and David E. Andersen. Anthropogenic effects on winter behavior of ferruginous hawks, 340–346
Pluvialis squatarola, see Plover, black-bellied
Poa alpina, see Grass, alpine blue-
Poa cita, see Tussock, silver
Poa sandbergii, see Grass, Sandberg's blue-
Poa spp., *see* Grass, blue
Pochop, Patricia A., John L. Cummings, John E. Steuber, Christi A. Yoder. Effectiveness of several oils to reduce hatchability of chicken eggs, 395–398
——, *see* Cummings, John L.
Poecile atricapillus, see Chickadee, black-capped
Pokeweed: 497, 499, 504–506
Poland: 1092
Polecat, European: 45, 52, 56
Polecat, Siberian, *see* Polecat, steppe
Polecat, steppe: 45, 59–60, 62, 71, 643–644, 655
Polioptila caerulea, see Gnatcatcher, blue-gray
Polioptila melanura, see Gnatcatcher, black-tailed
Polyartemia forcipata, see Shrimp, fairy
Polygonatum biflorum, see Solomon's seal, true
Polygonum pensylvanicum, see Smartweed, largeseed
Polygonum spp., *see* Smartweed
Polymerase chain reaction: 684
Polystichum acrostychoides, see Fern, Christmas
Polystichum munitum, see Fern, sword
Polytrichum spp., *see* Bryophyte
Pondweed: 1121, 1124
Pontier, Dominique, *see* Fromont, Emmanuelle
Pooecetes gramineus, see Sparrow, vesper
Poplar, balsam: 971, 1336, 1386
Poplar, tulip: 113, 355, 585
Poplar, yellow, *see* Poplar, tulip
Population estimation: 1342–1347
finless porpoise abundance in Omura Bay, Japan: estimation from aerial sighting surveys, 286–291
Population estimator:
population estimator based on network sampling of tracks in the snow, 968–977
Population index:
interpreting carnivore scent-station surveys, 1235–1245
Population modeling: 1110, 1496
on the use of demographic models of population

viability in endangered species management, 821–841 - Invited paper.
Population sink: 9
Population Viability Analysis:
on the use of demographic models of population viability in endangered species management, 821–841 - Invited paper.
Populus angustifolia, see Cottonwood, narrow-leaf
Populus balsamifera, see Poplar, balsam
Populus deltoides, see Cottonwood, common
Populus fremontii, see Cottonwood, Fremont
Populus sargentii, see Cottonwood, plain
Populus spp., *see* Cottonwood
Populus tremula, see Aspen
Populus trichocarpa, see Cottonwood, black
Porcine zona pellucida: 243–244, 247–248
Porcupine: 1266
Porcupine Caribou Herd: 255–260, 1067–1074
Porpoise, finless:
finless porpoise abundance in Omura Bay, Japan: estimation from aerial sighting surveys, 286–291
Porpoise, harbor: 290
Porter, William F., *see* Roberts, Steven D.
Porzana carolina, see Sora
Possum, brushtail: 46
Postfledging period: 333–338
Potentilla gracilis, see Cinquefoil
Potogometon pectinatus, see Pondweed
Power: 1519
Power, a priori: 805
Power analysis, retrospective:
limits of retrospective power analysis, 801–807
Prairie dog, black-tailed: 340, 343, 345, 654, 1304
effects of recreational shooting on prairie dog colonies, 363–372
Prairie dog, white-tailed: 643–650, 654, 1169, 1304
Prairie Pothole Region: 131, 152–153, 161, 164, 182, 195, 199, 388, 1116, 1142
Prairie-chicken, Attwater's: 314, 319, 861
Prairie-chicken, greater:
parasitism of greater prairie-chicken nests by ring-necked pheasants, 854–863
predicting greater prairie-chicken nest success from vegetation and landscape characteristics, 314–321
Prairie-chicken, lesser: 319, 896
Predation: 557, 908, 911, 922, 997, 1184, 1261, 1300, 1496–1497
a comparison of bobcat and coyote predation on lambs in north-coastal California, 700–706
behavioral responses of two predator species to sudden decline in primary prey, 45–58
depredation rates and predators at artificial bird nest in an unfragmented northern hardwoods forest, 529–539
effect of border-edge cuts on birds at woodlot edges in southwestern Pennsylvania, 1430–1436
effect of coyote removal on sheep depredation in northern California, 690–699
effects of human disturbance on success of artificial duck nests, 1142–1146
predation of artificial nests in hardwood fragments enclosed by pine and agricultural habitats, 1438–1442
response of nesting ducks to predator exclosures and water during drought, 152–163
spatial organization of a prairie striped skunk population during the waterfowl nesting season, 199–204
validating the use of artificial nests in predation experiments, 925–932
validity of using artificial nests to assess duck-nest success, 163–171
Predator control:
ecological costs of feral predator control: foxes and rabbits, 766–772
Predator exclosure: 152–153, 157, 159
Predator swamping: 260
Predator avoidance: 255
Pregnancy-specific protein B: 1066–1074
Prince, Harold H., *see* Niewoonder, John A.
Prince William Sound: 779–788
Privet, Chinese:
Chinese privet and the feeding ecology of white-tailed deer: the role of an exotic plant, 1321–1329
Procapra gutturosa, see Gazelle, Mongolian
Procyon lotor, see Raccoon
Productivity index:
a productivity index for marbled murrelets in Alaska based on surveys at sea, 446–460
Progesterone: 1066–1074
Progne subis, see Martin, purple
Prosopis glandulosa, see Mesquite, honey
Prosopis spp., *see* Mesquite
Prosopsis juliflora, see Mesquite, velvet
Protonotaria citrea, see Warbler, prothonotary
Prunus pensylvanicum, see Cherry, pin
Prunus serotina, see Cherry, black
Prunus spp., *see* Cherry spp.
Prunus virginianus, see Cherry, choke
Psaltriparus minimus, see Tit, bush
Pseudoplusia includens: 1570
Pseudoregnaria spicata, see Grass, bluebunch wheat-
Pseudoreplication: 475, 665, 1201
Pseudoscorpionida: 512
Pseudotsuga menziesii, see Fir, Douglas
Pseudowinter colorata: 1168
Psocoptera: 512
Ptarmigan, willow: 42, 1101
Pteridium aquilinum, see Fern, bracken
Puccinellia nuttalliana: 1534
Puckett, K. Marc., *see* Palmer, William E.
Pulegone: 400–404
Puma concolor, see Cougar
Puma, Patagonia: 24, 26, 31–32
Purshia tridentata, see Bitterbush, antelope
Pyrrhula pyrrhula, see Finch, bull-

Q

Quade method: 796–800
Quail, California: 46, 490, 492–493
Quail, Gambel's: 540, 1505, 1510
Quail, Japanese: 529–530, 925–931, 1439–1440, 1462, 1475
Quail, mountain: 552
Quail, northern bobwhite: 554, 560
assessing the suitability of landscapes for northern bobwhite, 895–902
effects of foliar insecticides on survival of northern bobwhite quail chicks, 1565–1573
habitat selection modeling for northern bobwhites on subtropical rangeland, 884–895
operative temperature reduces habitat space for northern bobwhites, 1506–1511
the effect of multiple brooding on age ratios of quail, 540–549
Quail, scaled: 540
scaled quail use of different seral stages in the Chihuahuan Desert, 550–556
Québec: 81, 140, 185, 225–226, 228, 234, 718–720, 735
Quelea quelea, see Quelea, red-billed
Quelea, red-billed: 882
Quercus alba, see Oak, white
Quercus coccinea, see Oak, scarlet
Quercus douglasii, see Oak, blue
Quercus falcata var. *paegodifolia, see* Oak, cherrybark
Quercus gambelii, see Oak, Gambel
***Quercus ilex*:** 1087
Quercus ilicifolia, see Oak, scrub
Quercus kelloggii, see Oak, California black
Quercus laevis, see Oak, turkey
Quercus laurifolia, see Oak, laurel
Quercus lobata, see Oak, valley
Quercus lyrata, see Oak, overcup
Quercus macrocarpa, see Oak, bur
Quercus nigra, see Oak, water
Quercus robur, see Oak, pedunculate
Quercus rubra, see Oak, red
Quercus shumardii, see Oak, shumard
Quercus spp., *see* Oak
Quercus stellata, see Oak, post
Quercus velutinea, see Oak, black
Quercus virginiana, see Oak, live
Quercus wislizenii, see Oak, interior live
Quiscalus quiscalus, see Grackle, common

R

Rabbit, cottontail: 341, 1322
Rabbit, European: 45–56, 644
ecological costs of feral predator control: foxes and rabbits, 766–772
Rabbit, Tolai: 59–60, 62, 66, 71
Rabbitbrush: 215
Rabbitbrush, gray: 462, 466
Rabbitbrush, green: 462, 466
Rabbitbrush, rubber: 341
Rabies: 1497
rabies control: an adaptive management approach, 622–629
Raccoon: 116, 153, 155, 171, 307, 309, 534–535, 623–625, 728, 851, 906, 913, 930, 1143, 1210, 1236–1244, 1266, 1497
Radiocesium:
radiocesium in mourning doves: effects of a contaminated reservoir drawdown and risk to human consumers, 497–508
Radioimmunoassay: 1067–1068, 1072
Radiotelemetry: 205, 226, 245, 256, 281, 315, 335, 336, 341, 355, 598–601, 604–605, 612–613, 654, 664, 701–702, 705, 719–723, 728–732, 734–735, 745, 746, 755, 794, 856, 904–905, 911–914, 917–918, 922–923, 930, 934–935, 941, 943–945, 968, 1005, 1023, 1037–1943, 1046–1054, 1055–1065, 1068–1069, 1231, 1257, 1266–1267, 1300, 1301–1303, 1314, 1316, 1330–1331, 1335–1337, 1313, 1449, 1492–1493, 1512–1518, 1565–1566, 1570
accuracy of GPS telemetry collar locations with differential correction, 808–810 - Corrigendum
effects of implanted radiotransmitters on captive mourning doves, 1451–1460
evaluation of transmitter attachment techniques on growth of wild turkey poults, 1574–1578
mitigating spatial differences in observation rate of automated telemetry systems, 958–967
Rager, Audrey L. H., *see* Rautenstrauch, Kurt R.
Ragweed, western: 477, 1169
Rail, king: 1482–1488
Rail, Virginia: 1482–1488, 1490
Rakestraw, Danny L., *see* Rautenstrauch, Kurt R.
Rallus elegans, see Rail, king
Rallus limicola, see Rail, Virginia
Ramsey, Fred L., *see* Beavers, Sallie C.
——, *see* Hershey, Katherine T.
Rana palustris, see Frog, pickerel
Rana sylvatica, see Frog, wood
Rangifer tarandus caribou, see Caribou, woodland
Rangifer tarandus dawsoni, see Caribou, Dawson
Rangifer tarandus granti, see Caribou, arctic
Rangifer tarandus, see Reindeer
Rapp, Cristin A., *see* Ortega, Catherine P.
Raptors: 435–445, 476, 945
Raspberry: 720, 722, 1420, 1431
Rat, black: 46, 1210
Rat, bushy-tailed wood-: 1210, 1212
Rat, cotton: 990–994
Rat, Merriam's kangaroo: 594, 715, 991–994
Rat, Norway: 412, 414, 644
Rat, Ord's kangaroo: 992–994
Rat, southern plains wood-: 412, 414, 992–994
Rat, white-throated wood-: 991–994
Ratio estimator:
use of ratio estimators to estimate the size of common eider populations in winter, 185–192
Rattlesnake: 105

Rattlesnake, massasauga:
habitat management for the eastern massasauga in a central New York peatland, 84–97
Rattus norvegicus, see Rat, Norway
Rattus rattus, see Rat, black
Rautenstrauch, Kurt R., Audrey L. H. Rager, and Danny L. Rakestraw. Winter behavior of desert tortoise in south:entral Nevada, 98–104
Raven, common: 181, 536, 972, 1423–1426, 1460–1479
Reading, Richard P., Henry Mix, Badamjavin Lhagvasuren, Natsagdorjin Tseveenmyadag. The commercial harvest of wildlife in Dornod Aimag, Mongolia, 59–71
Reagan, Steve, *see* Beringer, Jeff
Reby, David, A. J. Mark Hewison, Bruno Cargnelutti, Jean-Marc Angibault, and Jean-Paul Vincent. Use of vocalizations to estimate population size of roe deer, 1342–1348
Recruitment: 152
Redhead: 181
Redstart, American: 79, 81, 531–532, 537
Redwood: 1404
Reed, Eric T., Evan G. Cooch, Fred Cooke, and R. Ian Goudie. Migration patterns of black brant in Boundary Bay, British Columbia, 1522–1532
Reese, Devin A., and Hartwell H. Welsh, Jr. Habitat use by western pond turtles in the Trinity River, California, 842–853
Reflectors: 1094–1099
Regulus calendula, see Kinglet, ruby-crowned
Regulus satrapa, see Kinglet, golden-crowned
Reindeer, *see* Caribou
Reithrodontomys megalotis, see Mouse, harvest
Renken, Rochelle B., *see* Barber, Jeff D.
Reproduction: 1197–1198, 1282
a model of northern pintail productivity and population growth rate, 1110–1118
nest-site characterization and reproductive success of Mississippi kites in the Mississippi River floodplains, 1373–1378
reproductive characteristics of a wild turkey population in central Mississippi, 903–910
reproductive ecology of eastern wild turkeys in southwestern Wisconsin, 911–916
reproductive performance of female Alaskan caribou, 1184–1195
survival and reproduction of female Sichuan, ringnecked, and F_1 hybrid pheasants, 933–938
wild turkey population dynamics in southweste.n Wisconsin, 917–924
Research: 435–445
Resource slection function: 663–669
evaluation of resource selection methods with different definitions of availability, 793–801
Restoration:
breeding season bird use of recently restored versus natural wetlands in New York, 1480–1490
Reynolds, Patricia E. Dynamics and range expansion of a reestablished muskox population, 734–744
Rhamunus californica, see Coffeeberry
Rhinonycteris aurantius, see Bat, orange horseshoe
Rhinotracheitis, viral: 985
Rhizophora mangle, see Mangrove, Bahamas
Rhus aromatica, see Sumac, skunkbush
Rhus glabra, see Sumac, smooth
Rhus radicans, see Ivy, poison
Ribes bracteosum, see Current, stink
Ribes spp., *see* Current
Rice: 390–392, 1147–1151
Rice, southern wild-: 570, 577
Riggs, Michael R., *see* Haroldson, Kurt J.
Riley, Terry Z., William R. Clark, Dean E. Ewing, and Paul A. Vohs. Survival of ring-necked pheasant chicks during brood rearing, 36–44
Riparia riparia, see Swallow, bank
Riparian areas: 72, 82
breeding bird community composition in relation to riparian vegetation structure in the western United States, 461–473
Ripgutt: 691
Roads: 584–588, 997–1001, 1255–1256, 1259, 1261–1262
Robbins, Charles T., *see* Hilderbrand, Grant V.
Roberts, Steven D., and William F. Porter. Influence of temperature and precipitation of survival of wild turkey poults, 1499–1505
——. Relation between weather and survival of wild turkey nests, 1492–1498
Robertson, Peter A., *see* Draycott, Roger A. H.
Robin, American: 382–383, 461, 467–468, 479, 490, 925–929, 1423–1426, 1490
Robinia neomexicana, see Locust
Robinia pseudoacacia, see Locust, black
Rockwell, Robert F., *see* Flint, Paul L.
Rocky Mountain Arsenal National Wildlife Refuge: 340–344
Rocky Mountains: 683–684, 688, 746
Rodewald, Paul G., and Kimberly G. Smith. Short-term effects of understory and overstory management on breeding birds in Arkansas oak-hickory forests, 1411–1417
Roetto, Marianna, *see* Johnston, John J.
Rogers, Carolyn L., *see* Stromayer, Karl A.
Rohwer, Frank C., *see* Olson, Rob
Rolley, Robert E., John F. Kubisiak, R. Neal Paisley, and Robert G. Wright. Wild turkey population dynamics in southwestern Wisconsin, 917–924
———, *see* Paisley, R. Neal
Rolstad, Erlend, *see* Rolstad, Jørund
Rolstad, Jørund, Przemyslaw Majewski, and Erlend Rolstad. Black woodpecker use of habitat and feeding substrates in a managed Scandinavian forest, 11–23
Rook: 873
Roosts: 322–332, 939, 1005
characteristics of ponderosa pine snag roosts used

by reproductive bats in northern Arizona, 612–621
secondary use of aspen cavities by tree-roosting big brown bats, 603–611
selection of day roosts by female long-legged myotis in the central Oregon Cascade Range, 596–603
Rosa multiflora, see Rose
Rosa rubiginosa, see Sweet briar
Rosatte, Richard C., *see* Schubert, Claudia A.
Rose: 303, 315, 462, 1324, 1431
Roseberry, John L., and Scott D. Sudkamp. Assessing the suitability of landscapes for northern bobwhite, 895–902
Rosing, Michael N., Merav Ben-David, and Ronald P. Barry. Analysis of stable isotope data: a k-nearest neighbors randomization test, 380–388
Rostrhamus sociabilis, see Kite, snail
Rot, false tinder: 605
Rot, heart: 1356
Rotella, Jay J., *see* Butler, Michael A.
Roy, Christianne C., *see* Cox, Robert R., Jr.
——, *see* Sovada, Marsha A.
Rubus chamaemorus, see Berries, cloud-
Rubus ideaus, see Raspberry
Rubus pedatus, see Bramble, trailing
Rubus spectabilis, see Berries, salmon
Rubus spp., *see* Blackberry
Ruggiero, Leonard F., Dean E. Pearson, and Stephen E. Henry. Characteristics of American marten den sites in Wyoming, 663–673
Rumble, Mark A., *see* McClean, Seth A.
Ruppia maritima, see Grass, widgeon
Rush, black needle: 571–572, 575–578, 1128
Rush, common scouring-: 281, 284
Rushes: 462, 499, 1046
Russell, Don E., Karen L. Gerhart, Robert G. White, and Debbie Van de Wetering. Detection of early pregnancy in caribou: evidence for embryonic mortality, 1066–1075
Russia: 11, 735, 741
Ruth, Toni K., Kenneth A. Logan, Linda L. Sweanor, Maurice G. Hornocker, and Larry J. Temple. Evaluating cougar translocation in New Mexico, 1264–1275
Ryan, Daniel C., Robert J. Kawula, and Robert J. Gates. Breeding biology of wood ducks using natural cavities in southern Illinois, 112–123
Ryan, Mark R., *see* McKee, Gwen

S

Sabal minor, see Palmetto
Sabine, Dwayne L., *see* Whitlaw, Heather A.
Sacaton, alkali: 554
Sacks, Benjamin N., *see* Neale, Jennifer C. C.
Sacrobatus vermiculatus, see Greasewood, black
Sagebrush: 364, 462, 466, 1021, 1056, 1380
Sagebrush, big: 215, 244, 462, 466
Sagebrush, fringed: 164
Sagebrush, low: 462, 266
Sagebrush, sand: 341
Sagebrush, silver: 164
Sagittaria latifolia, see Arrowhead, common
Saiwana, Lewis, Jerry L. Holechek, Ackim Tembo, Raul Valdez, and Manuel Cardenas. Scaled quail use of different seral stages in the Chihuahuan Desert, 550–556
Salal: 238–240
Salamander, marbled: 584–587
Salamander, redback: 584–587
Salamander, spotted: 584–587
Salix alaxensis, see Willow, feltleaf
Salix bebbiana, see Willow, Bebb
Salix drummondiana, see Willow, Drummond
Salix exigua spp. *exigua* var. *exigua, see* Willow, coyote
Salix geyeriana var. *geyeriana,* see Willow, Geyer
Salix lasiandra, see Willow, Pacific
Salix lasiandra var. *caudata, see* Willow, whiplash
Salix lasiolepis, see Willow, arroyo
***Salix ledebouriana*:** 60
Salix lemmonii, see Willow, Lemmon's
Salix myrtillifolia, see Willow, blueberry
Salix nigra, see Willow, black
Salix, pulchra, see Willow, diamond leaf
Salix rigida var. *mackenzieana, see* Willow, Mackenzie
Salix spp., *see* Willow
Salmon, Pacific: 381, 383, 385–386
Salpinctes obsoletus, see Wren, rock
Saltbush, desert: 374, 708–709
Saltbush, spiny: 374, 708–709
Samson, Claude, and Jean Huot. Movements of female black bears in relation to landscape vegetation type in southern Québec, 718–727
San Andres Mountains: 1264–1274
Sanders, Todd A., and W. Daniel Edge. Breeding bird community composition in relation to riparian vegetation structure in the western United States, 461–473
Sandpiper, least: 1490
Sandpiper, semipalmated: 830, 1490
Sandpiper, spotted: 1490
Sanguinaria canadensis, see Bloodroot
Sapsucker, yellow-bellied: 603, 607–609, 1394, 1422–1426
Sarcobatus vermiculatus, see Greasewood
Sargeant, Glen A., Douglas H. Johnson, and William E. Berg. Interpreting carnivore scent-station surveys, 1235–1245
——, *see* Cowardin, Lewis M.
Sargent, Robert A., John C. Kilgo, Brian R. Chapman, and Karl V. Miller. Predation of artificial nests in hardwood fragments enclosed by pine and agricultural habitats, 1438–1442
——, *see* Kilgo, John C.
Sarno, Ronald J., *see* Gustafson, Laura L.
Sarsaparilla: 631, 720, 722
Saskatchewan: 182, 199, 201, 202, 337, 536, 604
Sauer, John R., *see* Francis, Charles M.

Saunders, Glen, *see* Winstanley, Roy K.
Sawfly: 516
Sawtooth National Forest: 1313
Sayornis phoebe, see Phoebe, eastern
Scandinavia: 11
Scapanus orarius, see Mole, coast
Scapanus townsendii, see Mole, Townsend's
Scaup, lesser:
shot prevalences and diets of diving ducks five years after ban on lead shotshells at Catahoula Lake, Louisiana, 564–569
Schizachyrium scoparium, see Bluestem, little
Schrankia uncinata, see Briar, sensitive
Schubert, Claudia A., Richard C. Rosatte, Charles D. MacInnes, and Thomas D. Nudds. Rabies control: an adaptive management approach, 622–629
Schulte, Lisa A., and Gerald J. Niemi. Bird communities of early-successional burned and logged forests, 1418–1430
Schulz, John H., Alex J. Bermudez, James L. Tomlinson, Jeffre D. Firman, and Zhuoqiong He. Effects of implanted radiotransmitters on captive mourning doves, 1451–1460
Scirpus amerianus, see Bulrush
Scirpus caespitosis, see Bulrush, tufted
Scirpus robustus, see Bulrush, salt marsh
Sciuris spp., *see* Squirrel
Scolopax minor, see Woodcock, American
Scolopax rusticola, see Woodcock, Eurasian
Scorpionida: 512
Scotland: 1043, 1092
Scrivner, Jerry H., *see* Koopman, Marni E.
Seal, grey: 1292
Seamans, Thomas W., *see* Dolbeer, Richard A.
Sedge: 462, 577, 664, 754, 1021, 1046, 1100, 1185
Sedge, broom-: 315
Sedge, chufa flat-: 564–567
Seibert, Steven G., *see* Beringer, Jeff
Seiurus aurocapillus, see Ovenbird
Seiurus motacilla, see Thrush, Louisiana water-
Selasphorus platycerus, see Hummingbird, broad-tailed
Selectivity index, Manly's: 1257
Sell, Scott M., *see* Jorgensen, Eric E.
Sequoia sempervirens, see Redwood
Serengeti Plains: 1170, 1173, 1175–1176
Sererak, Carolyn M., *see* Wood, Petra Bohall
Serie, Jerome R., *see* Francis, Charles M.
Servello, Frederick A., *see* Ditchkoff, Stephen S.
Serviceberry, Utah: 215
Serviformica spp.: 13, 17, 20
Setophaga ruticilla, see Redstart, American
Sheep: 690–698, 700–705, 1067, 1173
Sheep, bighorn: 266, 749, 753, 764, 1021, 1227
effects of jet aircraft on mountain sheep, 1246–1254
effects of population density on horn development in bighorn rams, 1011–1020
Sheep, Dall's: 1185
Sheep, desert bighorn: 1265
Shelterwood:
relations of small mammal populations to even-aged shelterwood systems in sub-aboreal spruce forest, 630–642
Sherry, Thomas W., *see* Sloan, Stephen S.
Shirakihara, Kunio, *see* Yoshida, Hideyoshi
Shirakihara, Miki, *see* Yoshida, Hideyoshi
Shivik, John A. Brown tree snake response to visual and olfactory cues, 105–111
Shoshone National Forest: 1022, 1028–1029
Shoveler, northern: 152, 157–160, 167, 576–578
Shrew, common: 382
Shrew, marsh: 1210
Shrew, masked: 93–94
Shrew, Pacific: 1207–1216
Shrew, pygmy: 93
Shrew, shorttail: 93
Shrew, smoky: 93
Shrew, Trowbridge's: 1207–1216
Shrew, vagrant: 1207–1216
Shrews: 630–640, 1196–1205
Shrimp, fairy: 129
Shrimp, seed: 129
Sialia curucoides, see Bluebird, mountain
Sialia mexicana, see Bluebird, western
Sialis sialis, see Bluebird, eastern
Sickley, Theodore A., *see* Mladenoff, David J.
Sierra Nevada: 670
Sightability model:
development and evaluation of sightability models for summer elk surveys, 1055–1066
Sightability-adjustment estimator:
effect of undercounting and model selection on a sightability-adjustment estimator for elk, 269–279
Sigmodon hispidus, see Rat, cotton
Silviculture:
silvicultural use of herbicide in sub-aboreal spruce forest: implications for small mammal population dynamics, 1196–1206
Simpson, Scott A., *see* Westemeier, Ronald L.
Siskin, pine: 479, 1424–1426
Sitta canadensis, see Nuthatch, red-breasted
Sitta carolinensis, see Nuthatch, white-breasted
Sitta pygmaea, see Nuthatch, pygmy
Skinks, common: 46
Sklebar, H. Thomas, *see* Cowardin, Lewis M.
Skunk, striped: 153, 155, 906, 913, 930, 1143, 1236–1244
rabies control: an adaptive management approach, 622–629
spatial organization of a prairie striped skunk population during the waterfowl nesting season, 199–204
Skunk, western spotted: 1210
Skylark, Eurasian: 46
Sloan, Stephen S., Richard T. Holmes, and Thomas W. Sherry. Depredation rates and predators at

artificial bird nest in an unfragmented northern hardwoods forest, 529–539
Smartweed: 125, 499, 570, 1121, 1124
Smartweed, largeseed: 1147–1149
Smilacina racemosa, see Solomon's seal, false
Smilax auriculata, see Greenbrier
Smilax ecirrata, see Flower, carrion
Smilax spp., *see* Catbriar
Smith, Bruce L., and Stanley H. Anderson. Juvenile survival and population regulation of the Jackson Elk Herd, 1036–1045
——, *see* Anderson, Charles R., Jr.
Smith, Charles R., *see* Brown, Stephen C.
Smith, David R., *see* Gerard, Patrick D.
Smith, Kimberly G., *see* Rodewald, Paul G.
Smith, Michael D., *see* Maier, Julie A. K.
Smphoricarpos oreophilus, see Snowberry, mountain
Snag: 11, 14, 18, 19, 20, 21, 596–601, 609, 663–671
characteristics of ponderosa pine snag roosts used by reproductive bats in northern Arizona, 612–621
Snake, black rat: 116, 1436
Snake, brown tree: 595, 831, 835
brown tree snake response to visual and olfactory cues, 105–111
Snake, garter: 105, 930, 1436
Snake, gopher: 105
Snake, rat: 105
Snake, white: 1078, 1080
Snipe, common: 461, 467–468, 1423–1426, 1482–1488, 1490
Snow depth: 11, 15, 19, 21, 254
Snowberry, common: 323
Snowberry, mountain: 215
***Solanum incanum*:** 1170
Solenopsis picta, see Ant, fire
Solidago flexicaulis, see Goldenrod, zig-zag
Solidago spp., *see* Goldenrod
Solomon's seal, false: 1078, 1080
Solomon's seal, true: 1078, 1080
Somateria fischeri, see Eider, spectacled
Somateria mollissima, see Eider, common
Sonoran Desert: 555, 864
Sora: 1482–1488, 1490
Sorbus decora, see Ash, mountain
Sorex bendirii, see Shrew, marsh
Sorex cinereus, see Shrew, common
Sorex cinereus, see Shrew, masked
Sorex fumeus, see Shrew, smoky
Sorex hoyi, see Shrew, pygmy
Sorex pacificus, see Shrew, Pacific
Sorex spp., *see* Shrews
Sorex trowbridgii, see Shrew, Trowbridge's
Sorex vagrans, see Shrew, vagrant
Sorghastrum nutans, see Grass, Indian
Sorghum: 388, 390
Sorghum vulgare, see Milo
Sour-gum, *see* Gum, black
South Carolina: 73, 82, 116, 497, 498, 499, 506, 513–515, 1438–1451
dabbling duck habitat associations during winter in coastal South Carolina, 569–580
South Dakota: 41, 210, 388–390, 392, 643–646, 650, 654, 793–800, 1055–1065, 1277
Sovada, Marsha A., Christiane C. Roy, J. B. Bright, and James R. Gillis. Cause and rates of mortality of swift foxes in western Kansas, 1300–1306
Soybean: 281, 1147–1150
Spagnum spp., *see* Bryophyte
Sparganium eurycarpum, see Burreed
Sparrow, American tree: 1490
Sparrow, Bachman's:
enhancing Bachman's sparrow habitat via management of red-cockaded woodpeckers, 347–354
Sparrow, chipping: 478–479, 491, 1422–1426, 1434
Sparrow, clay-colored: 1418, 1422–1427
Sparrow, field: 1491
Sparrow, golden-crowned: 491–493
Sparrow, Henslow's: 320
Sparrow, house: 874, 1141, 1491
Sparrow, lark: 479, 490
Sparrow, Le Conte's: 1424–1426
Sparrow, Lincoln's: 1418, 1422–1427
Sparrow, rufous-crowned: 490
Sparrow, savannah: 461, 467–468, 1491
Sparrow, song: 442, 461, 467–470, 1418, 1422–1427, 1434–1435, 1491
Sparrow, swamp: 1424–1426, 1490
Sparrow, vesper: 470
Sparrow, white-crowned: 491–493, 525
Sparrow, white-throated: 1422–1426
Sparrowhawk, European: 526
Spartina alterniflora, see Grass, smooth cord-
Spartina cynosuroides, see Grass, giant cord-
Spartina spp., *see* Grass, cord-
Spermophilus becheyi, see Squirrel, California ground
Spermophilus franklinii, see Squirrel, Franklin's ground
Spermophilus parryii, see Squirrel, arctic
Spheniscidae: 525
Spies, Thomas A., *see* DellaSala, Dominick A.
Spikerush: 566, 570
Spikerush, dwarf: 571–572, 575–578
Spilogale gracilis, see Skunk, western spotted
Spindler, Michael A., *see* Becker, Earl F.
***Spirodella* spp.:** 1534
Spiza americana, see Dickcissel
Spizella arborea, see Sparrow, American tree
Spizella pallida, see Sparrow, clay-colored
Spizella passerina, see Sparrow, chipping
Spizella pusilla, see Sparrow, field
Sporobolus airoides, see Sacaton, alkali
Sporobolus flexuosus, see Dropseed, mesa
Sprangletop, bearded: 564, 566
Spruce: 1167, 1185, 1197
Spruce, black: 85, 88, 251, 720, 754, 971, 1228, 1336, 1360, 1420

Spruce, Engelmann: 663–668, 671, 746, 1021, 1046, 1056, 1197, 1256, 1316
Spruce, Norway: 11
Spruce, red: 530
Spruce, Sitka: 237, 239, 381, 447, 519
Spruce, white: 604, 606, 720, 754, 794, 971, 1197, 1336, 1360, 1420
relations of small mammal populations to even-aged shelterwood systems in sub-aboreal spruce forest, 630–642
Squirrel, arctic ground: 257
Squirrel, California ground: 1210
Squirrel, Douglas: 669, 1210
Squirrel, fox: niche overlap in sympatric of fox and gray squirrels, 354–363
Squirrel, Franklin's ground: 1143
Squirrel, gray:
niche overlap in sympatric of fox and gray squirrels, 354–363
Squirrel, northern flying: 1210, 1212–1214
Squirrel, red: 382–383, 385, 386, 529, 534–535, 663–671, 1223
Stable isotope analysis:
analysis of stable isotope data: a k-nearest neighbors randomization test, 380–388
Stark, Timothy M., *see* Moore, Joseph L.
Starling, European: 490, 882, 1491
Status, Nancy L. Habitat use and home range of West Indian whistling-ducks, 171–178
Steeger, Christopher, and Christine L. Hitchcock. Influence of forest structure and diseases on nest-site selection by red-breasted nuthatches, 1349–1358
Steidl, Robert J., *see* Daw, Sonya K.
Stelgidopteryx serripennis, see Swallow, northern rough-winged
Sterna caspia, see Tern, Caspian
Sterna hirundo, see Tern, common
Sternotherus depressus, see Turtle, flattened musk
Steuber, John E., *see* Pochop, Patricia A.
Stewart, Shawn T., *see* Van Dyke, Fred G.
Stickseed: 1078, 1080
Stipa baicalensis: 60
Stipa columbiana, see Grass, Columbian needle-
Stipa comata, see Grass, needle-and-thread
Stipa krylovii: 60
Stipa virdula, see Grass, green needle-
Stoat, see Weasel
Stochastic models: 821, 825–826, 830–832, 834–835, 918, 920
Stomach flushing: 510
Strawberry bush: 1324, 1326
Streptopus spp.: 239
Strix occidentalis lucida, see Owl, Mexican spotted
Strix occidentalis, see Owl, spotted
Strix varia, see Owl, barred
Stromayer, Karl A., Robert J. Warren, A. Sydney Johnson, Philip E. Hale, Carolyn L. Rogers, and Christopher L. Tucker. Chinese privet and the feeding ecology of white-tailed deer: the role of an exotic plant, 1321–1329
Stumps: 11, 14–15, 18–21
Sturnella magna, see Meadowlark, eastern
Sturnella neglecta, see Meadowlark, western
Sturnus vulgaris, see Starling, European
Sudkamp, Scott D., *see* Roseberry, John L.
Sullivan, Thomas P., Christopher Nowotny, R. A. Lautenschlager, and Robert G. Wagner. Silvicultural use of herbicide in sub-aboreal spruce forest: implications for small mammal population dynamics, 1196–1206
Sullivan, Thomas P., *see* Von Trebra, Charlotte
Sumac, skunkbush: 478
Sumac, smooth: 315
Sunflower: 315, 388, 882
Superior National Forest: 1419–1427
Supplejack, Alabama: 1324
Supplemental feeding: 1036–1037, 1043–1044
Suriana maritima, see Cedar, bay
Survey, bias:
does survey method bias the description of northern goshawk nest-site structure?, 1379–1384
Survey, broadcast:
red-shouldered hawk broadcast surveys: factors affecting detection of responses and population trends, 1385–1397
Survey, crepuscular flight: 940–942
Survey, scent station:
interpreting carnivore scent-station surveys, 1235–1245
Survey, transect: detectability analysis in transect surveys, 948–957
Survival: 124–131, 179, 734–742, 745, 747, 748, 750, 752, 829, 830, 903, 907, 912, 914–915, 939, 1197, 1199–1200, 1269, 1295, 1297, 1464, 1469, 1472, 1473, 1521–1531
a model of northern pintail productivity and population growth rate, 1110–1118
effect of density reduction on overwinter survival of free-ranging mule deer fawns, 214–225
effect of lead poisoning on spectacled eider survival rates, 1103–1109
effect of restrictive harvest regulations on survival and recovery rates of American black ducks, 1544–1557
effects of foliar insecticides on survival of northern bobwhite quail chicks, 1565–1573
estimating survival rates with age-structure data, 779–792
influence of temperature and precipitation on survival of wild turkey poults, 1499–1505
juvenile survival and population regulation of the Jackson Elk Herd, 1036–1045
relation between weather and survival of wild turkey nests, 1492–1498
survival and cause-specific mortality rates of adult white-tailed deer in New Brunswick, 1335–1341

survival and cause-specific mortality of wild turkey hens in central Mississippi, 306–313
survival and reproduction of female Sichuan, ring-necked, and F_1 hybrid pheasants, 933–938
survival of female northern pintails wintering in southwestern Louisiana, 1512–1521
survival rates in a nonharvested brown hare population, 722–779
the effect of rearing methods on survival of reintroduced black-footed ferrets, 643–653
the influence of a small sanctuary on survival rates of black bears in North Carolina, 727–734
wild turkey population dynamics in southwestern Wisconsin, 917–924
Sus scrofa, see Boar, wild
Svihel, Michael L., *see* Haroldson, Kurt J.
Swallow, bank: 1490
Swallow, barn: 467–468, 476, 1490
Swallow, cliff: 467–468, 476
Swallow, northern rough-winged: 467–468, 476, 1490
Swallow, tree: 467–468, 476, 490, 1490
Swallow, violet-green: 491
Swan, whooper: 63
Sweanor, Linda L., *see* Ruth, Toni K.
Sweet briar: 46
Sweet vernal: 46
Swift, chimney: 1491
Swift, Vaux's: 461, 467–468
Swifts: 476
Switchcane: 73
Sycamore, American: 116, 121, 940, 1373–1378
Sylvatic plague: 343, 364, 369, 643, 651, 654
Sylvia borin, see Warbler, garden
Sylvilagus audubonii, see Cottontail, desert
Sylvilagus floridanus, see Cottontail, eastern
Sylvilagus spp., *see* Rabbit, cottontail
Sympatric populations: 354–361
Symphoricarpos albus, see Snowberry, common
Symphoricarpos orbiculatus, see Buckbrush
Symphyta, see Sawfly
Synaptomys borealis, see Lemming, northern bog
Syrrhaptes paradoxus, see Grouse, Pallas' sand-

T

Tachycineta bicolor, see Swallow, tree
Tachycineta thalassin, see Swallow, violet-green
Takemura, Akira, *see* Yoshida, Hideyoshi
Tallahala Wildlife Management Area: 903, 906–908
Tamarack: 85, 88, 1228, 1420, 1425
Tamarind, wild: 173
Tamarix spp., *see* Cedar, salt
Tamias amoenus, see Chipmunk, northwestern
Tamias striatus, see Chipmunk, eastern
Tamias townsendii, see Chipmunk, Townsend's
Tamiasciurus douglasii, see Squirrel, Douglas
Tamiasciurus hudsonicus, see Squirrel, red
Tanager, hepatic: 479
Tanager, scarlet: 1414, 1424–1426
Tanager, summer: 79, 81
Tanager, western: 479–481, 491
Tardus merula, see Blackbird, Eurasian
Tardus philomelos, see Thrushes
Tattoo: 1292–1299
Taxidea taxus, see Badger
Taxodium distichum, see Cypress, bald-
Taxus canadensis, see Yew, Canadian
Tea, Labrador: 1229
Teal, blue-winged: 152–153, 157, 160–161, 167, 176, 1490
Teal, cinnamon: 467–468
Teal, green-winged: 167, 176, 467–468, 573–578, 1127, 1131–1132, 1135, 1490, 1529
Tembo, Ackim, *see* Saiwana, Lewis
Temple, Larry J., *see* Ruth, Toni K.
Tennessee: 719, 1533–1543
Tern, black: 461, 467–468, 1487, 1490
Tern, Caspian: 1490
Tern, common: 1490
Tetrao parvirostris, see Capereaillie, black-billed
Tetrao tetrix, see Grouse, black
Tetrao urogallus, see Capercaillie
Texas: 262, 348, 511, 513, 555, 884–895, 1506–1511, 1512–1521
Thamnophis spp., *see* Snake, garter
Thermoregulation: 601, 617, 851
Thomomys talpoides, see Gopher, northern pocket
Thorn, Anderson desert: 99
Thorne, E. Tom, *see* Kreeger, Terry J.
Thrasher, brown: 1422–1426
Threeawn: 554
Thrinax microcarpa, see Palm, thatch
Thrush, hermit: 382–383, 491, 929, 1422–1426
Thrush, Louisiana water-: 79, 81
Thrush, Swainson's: 382–383, 1423–1426
Thrush, varied: 382–383
Thrush, wood: 79, 81, 1414–1416, 1434, 1491
Thrushes: 46
Thryomanes bewickii, see Wren, Bewick's
Thryothorus ludovicianus, see Wren, Carolina
Thuja occidentalis, see Cedar, white
Thuja plicata, see Cedar, western red-
Tiarella trifoliata, see Foamflower
Tidal flats: 173–174, 176
Tilansia usneoides, see Moss, Spanish
Tilia americana, see Basswood, American
Tiller, Brett L., *see* Heilmann, Theodore J.
Tit, blue: 872, 875–876, 879–882
Tit, bush: 478–480, 490, 493–494
Tit, great: 872, 875–876, 879–882, 1461
Tit, wren: 490
Titmouse, plain-: 477–480, 490, 493
Titmouse, tufted: 79, 1414–1415
Tomlinson, James L., *see* Schulz, John H.
Tortoise, desert: 824
importance of observer experience in finding desert tortoises, 590–596

winter behavior of desert tortoise in southcentral Nevada, 98–104
Tortoise, gopher: 99
Towhee, California: 490–493
Towhee, canyon: 479
Towhee, eastern: 1491
Towhee, green-tailed: 479
Towhee, spotted: 478–481, 490, 493–494
Toxicity: 320, 419, 564–567, 1099–1102, 1103–1109, 1303, 1566–1572
Toxicodendron diversilobum, see Oak, poison
Toxostoma rufum, see Thrasher, brown
Toyon: 486
Track plates: 1217–1226
Tragelaphus strepsioceros, see Kudu
Translocation:
evaluating cougar translocation in New Mexico, 1264–1275
Transponder, passive integrated: 645, 654
Trap, box: 206, 746, 749
Trap, clover: 206, 746, 749, 1336
Trap, funnel: 1444
Trap, Kniffin: 1452
Trap, leg hold: 701
Trap, pitfall: 585, 1208–1209
Trap, Sherman: 990, 1208–1209
Trap, Tomahawk: 1208–1209
Trichosurus vulpecula, see Possum, brushtail
Trifolium incarnatum, see Clover
Trifolium repens, see Clover, white
Trigeminal receptors: 581
Trillium, see Trillium spp.
Trillium spp.: 1076, 1078, 1080–1082
Tringa flavipes, see Yellowlegs, lesser
Tringa melanoleuca, see Yellowlegs, greater
Triticum aestivum, see Wheat, winter
Tritium oxide: 406–408
Troglodytes aedon, see Wren, house
Troglodytes troglodytes, see Wren, winter
Tsao, Ling-Ling C., *see* Hubbard, Michael W.
Tseveenmyadag, Natsagdorjin, *see* Reading, Richard P.
Tsuga canadensis, see Hemlock, eastern
Tsuga heterophylla, see Hemlock, western
Tsuga mertensiana, see Hemlock, mountain
Tuberculosis: 45–46, 56
Tucker, Christopher L., *see* Stromayer, Karl A.
Tucker, James W., *see* Plentovich, Sheldon
Tulip tree, *see* Poplar, tulip
Tupelo, swamp: 73
Tupelo, water: 73, 570
Turdus merula, see Blackbird
Turdus migratorius, see Robin, American
Turkey, eastern wild: 490, 896, 1491
effect of winter temperature on wild turkey metabolism, 299–305
evaluation of transmitter attachment techniques on growth of wild turkey poults, 1574–1578
influence of temperature and precipitation on survival of wild turkey poults, 1499–1505
relation between weather and survival of wild turkey nests, 1492–1498
reproductive characteristics of a wild turkey population in central Mississippi, 903–910
reproductive ecology of eastern wild turkeys in southwestern Wisconsin, 911–916
survival and cause-specific mortality of wild turkey hens in central Mississippi, 306–313
wild turkey population dynamics in southwestern Wisconsin, 917–924
Turkey, Merriam's: 1266
evaluation of resource selection methods with different definitions of availability, 793–801
Turtle, eastern Pacific green: 950, 953, 1292
Turtle, flattened musk: 851
Turtle, hawksbill: 950
Turtle, loggerhead: 950, 953, 1292
Turtle, olive ridley: 950, 953–955
Turtle, western pond:
habitat use by western pond turtles in the Trinity River, California, 842–853
Turtles, sea: 824
detectability analysis in transect surveys, 948–957
Tussock, fescue: 46, 1185
Tussock, silver: 46
Tympanuchus cupido attwateri, see Prairie-chicken, Attwater's
Tympanuchus pallidicinctus, see Prairie-chicken, lesser
Typha spp., *see* Cattail
Tyrannus dominicensis, see Kingbird, eastern
Tyrannus verticalis, see Kingbird, western

U

U. S. Department of Interior: 690
U. S. Department of Energy: 708
U. S. Environmental Protection Agency: 144, 497, 499, 502–503, 506, 1558
U. S. Fish and Wildlife Service: 142, 165, 172, 185, 193, 334, 347, 363, 373, 374, 612, 644, 654, 709, 896, 941, 1099, 1103–1104, 1301, 1480–1481
U. S. Forest Service: 462, 663, 1033, 1217, 1379, 1399, 1418–1419
U. S. Geological Survey: 144
U. S. Virgin Islands: 171
Udevitz, Mark S., and Brenda E. Ballachey. Estimating survival rates with age-structure data, 779–792
Ujvári, Marianne, Hans J. Baagøe, and Aksel B. Madsen. Effectiveness of wildlife warning reflectors in reducing deer-vehicle collisions: a behavioral study, 1094–1099
Ulmus alata, see Elm, winged
Ulmus americana, see Elm, American
Ultrasonic bat detectors: 996–998, 1003–1009
Umbellularia californica, see Bay, California
Undecanone: 400–403
Ungulates:
ungulate effects on the functional species compo-

sition of plant communities: herbivore selectivity and plant tolerance, 1165–1183 - Invited paper
Unsworth, James W., Lonn Kuck, Edward O. Graton, and Bart R. Butterfield. Elk habitat selection on the Clearwater National Forest, Idaho, 1255–1263
Urocyon cinereoargenteus, see Fox, gray
Ursus americanus, see Bear, black
Ursus arctos, see Bear, brown
Ursus arctos horriblis, see Bear, grizzly
Ursus maritimus, see Bear, polar
Usnea longissima: 239
Usnea spp., *see* Lichen
Utah: 400, 411, 686, 1272
Uvularia grandiflora, see Bellwort, large-flowered

V

Vaccinium alaskaense, see Blueberry, Alaska
Vaccinium corymbosum, see Blueberry, highbush
Vaccinium ovalifolium, see Blueberry, early
Vaccinium parvifolium: 239
Vaccinium spp.: 236, 237, 350, 355, 381, 383, 515, 644, 720, 722
Valdez, Raul, *see* Saiwana, Lewis
Van de Wetering, Debbie, *see* Russell, Don E.
Van Deelen, Timothy R., Henry Campa, III, Maya Hamady, and Jonathan B. Haufler. Migration and seasonal range dynamics of deer using adjacent deeryards in northern Michigan, 205–213
Van Dyke, Fred G., Wendi C. Klein, and Shawn T. Stewart. Long-term range fidelity in Rocky Mountain elk, 1020–1035
Vangilder, Larry D., *see* Beringer, Jeff
Vargas, Astrid, *see* Biggins, Dean E.
——, *see* Kreeger, Terry J.
Veery: 1423–1426
Verbascum thapsus, see Mullein, woolly
Vercauteren, Kurt C., and Scott E. Hygnstrom. Effects of agricultural activities and hunting on home ranges of female white-tailed deer, 280–285
Vermivor pinus, see Warbler, blue-winged
Vermivora celata, see Warbler, orange-crowned
Vermivora chrysoptera, see Warbler, golden-winged
Vermivora ruficapilla, see Warbler, Nashville
Vermivora virginiae, see Warbler, Virginia's
Vermont: 1, 4–5, 7–9
Veronia baldwinii, see Ironweed, western
Vespertilionidae: 603, 609
Viburnum alnifolium, see Hobblebush
Viburnum, cassinoides, see Cranberry
Viburnum trilobum, see Cranberry, highbush
Vicia venosa: 60
Vicuáa: 29–30
Vicugna vicugna, see Vicuáa
Vincent, Jean-Paul, *see* Reby, David
Viper's bugloss: 46
Vireo flavifrons, see Vireo, yellow-throated
Vireo gilvas, see Vireo, warbling
Vireo griseus, see Vireo, white-eyed
Vireo, Hutton's: 485, 490, 493–494
Vireo huttoni, see Vireo, Hutton's
Vireo olivaceous, see Vireo, red-eyed
Vireo, red-eyed: 72, 76, 78–81, 1414, 1416, 1422–1426, 1434–1435, 1491
Vireo solitarius, see Vireo, solitary
Vireo, solitary: 479–483, 491
Vireo, warbling: 491, 1490
Vireo, white-eyed: 72, 76–81
Vireo, yellow-throated: 79, 81, 1414
Virginia: 262, 348, 536, 719, 1517
Virgl, John A., *see* Mahoney, Shane P.
Vitis rotundifolia, see Muscadine
Vitis spp., *see* Grape, wild
Vocalizations:
use of vocalizations to estimate population size of roe deer, 1342–1348
Vohs, Paul A., *see* Riley, Terry Z.
Vole, creeping: 1207–1216
Vole, heather: 632
Vole, long-tailed: 382–383, 386, 1199, 1210
Vole, meadow: 93, 632, 1196–1205
Vole, red tree: 1210
Vole, southern red-backed: 93, 630–640, 1196–1205
Vole, Townsend's: 1210
Vole, tundra: 382, 386
Vole, western red-backed: 1210
Vole, white-footed: 1210
Von Trebra, Charlotte, Denis P. Lavender, and Thomas P. Sullivan. Relations of small mammal populations to even-aged shelterwood systems in sub-aboreal spruce forest, 630–642
Vosburgh, Timothy C., and Lynn R. Irby. Effects of recreational shooting on prairie dog colonies, 363–372
Vulpes corsac, see Fox, corsac
Vulpes macrotis mutica, see Fox, kit
Vulpes velox, see Fox, swift
Vulpes vulpes, see Fox, red
Vulture, black: 436
Vulture, turkey: 436, 1491

W

Wagner, Robert G., *see* Sullivan, Thomas P.
Waite, Carol A., *see* Landon, David B.
Wallace, Mark C., *see* Krausman, Paul R.
Wallowa National Forest: 1379–1384
Wallowa-Whitman National Forest: 960–966
Walnut, black: 1412
Warbler, black-and-white: 79, 81, 1414–1415, 1422–1426
Warbler, black-throated blue: 531–532, 537
Warbler, black-throated gray: 479, 491
Warbler, black-throated green: 1414, 1418, 1422–1427
Warbler, blackburnian: 1423–1426

Warbler, blue-winged: 1434
Warbler, Cerulean: 1414–1415
Warbler, chestnut-sided: 1418, 1422–1427
Warbler, garden: 525
Warbler, golden-winged: 1423–1426
Warbler, hooded: 76, 78–81, 1414–1415
Warbler, Kentucky: 79, 81
Warbler, Kirtland's: 442, 1370
Warbler, MacGillivray's: 929
Warbler, magnolia: 1423–1426
Warbler, mourning: 1418, 1422–1427
Warbler, Nashville: 491, 1418, 1422–1427
Warbler, orange-crowned: 491
Warbler, pine: 79, 88
Warbler, Prothonotary: 79, 81
Warbler, Swainson's: 79, 81
Warbler, Townsend's: 491
Warbler, Virginia's: 479
Warbler, Wilson's: 491
Warbler, worm-eating: 1414–1415
Warbler, yellow: Warbler, yellow: 461, 467–470, 1423–1426, 1490
Warbler, yellow-rumped: 491, 1422–1426, 1491
Warbler, yellow-throated: 79
Warren, Robert J., *see* Stromayer, Karl A.
Warrick, Gregory D., and Brian L. Cypher. Factors affecting the spatial distribution of San Joaquin kit foxes, 707–717
Washington: 240, 244, 395, 446, 597, 600, 670, 686, 1356, 1398–1410
Wasp, tropical fig: 831
Water, deuterated: 292–297
Water, labeled: 406–408
Waterfowl Production Area: 153
Waterlily: 1121, 1124
Watkins, Richard W., *see* Gill, Elaine L.
Waxwing, cedar: 1423–1426, 1491
Weasel: 36, 40, 46, 52, 536, 1196, 1210
Weasel, long-tailed: 930, 1196
Weather: 440–441, 917–923
  influence of temperature and precipitation on survival of wild turkey poults, 1499–1505
  operative temperature reduces habitat space for northern bobwhites, 1506–1511
  relation between weather and survival of wild turkey nests, 1492–1498
Weerakkody, Govinda, *see* Gerard, Patrick D.
Weisbrich, Gary A., *see* Moore, Joseph L.
Weller, Theodore J., *see* Conner, Mary M.
Welsh, Hartwell, H., Jr., *see* Reese, Devin A.
Weseen, Gillian L., *see* Campbell, Kevin L.
Westemeier, Ronald L., John E. Buhnerkempe, William R. Edwards, Jeffery D. Brawn, and Scott A. Simpson. Parasitism of greater prairie-chicken nests by ring-necked pheasants, 854–863
Westphal, M. Ian, *see* Beissinger, Steven R.
Wetland:
  breeding season bird use of recently restored versus natural wetlands in New York, 1480–1490
  settlement rate of lead shot in tundra wetlands, 1099–1102
Wheat: 199, 558–559
Wheat, winter: 1147–1151
White, Gary C., and Richard M. Bartmann. Effect of density reduction on overwinter survival of free-ranging mule deer fawns, 214–225
White, Patrick J., *see* Eberhardt, L. Lee
White, Robert G., *see* Maier, Julie A. K.
——, *see* Russell, Don E.
Whitlaw, Heather A., Warren B. Ballard, Dwayne L. Sabine, Steven J. Young, Roger A. Jenkins, and Graham J. Forbes. Survival and cause-specific mortality rates of adult white-tailed deer in New Brunswick, 1335–1341
Whitmore, Kathryn D., and John M. Marzluff. Hand-rearing corvids for reintroduction: importance of feeding regime, nestling growth, and dominance, 1460–1479
Wigeon, American: 167, 461, 467–468, 575–578, 1127, 1131–1132, 1135, 1490
Wigeon, Eurasian: 1540
Wiggers, Ernie P., *see* Barber, Jeff D.
Wildebeest: 1170
Willamette National Forest: 597
Willet: 467–468
Willow: 165, 251–252, 256, 259, 323, 341, 447, 461, 462, 466, 467, 469, 735, 754, 867, 971, 1056, 1170, 1185
Willow, arroyo: 516
Willow, Bebb: 462, 466
Willow, black: 940, 1373, 1376
Willow, blueberry: 462, 466
Willow, coyote: 462, 466
Willow, diamond leaf: 971
Willow, Drummond: 462, 466
Willow, feltleaf: 971
Willow, Geyer: 462, 466
Willow, Lemmon's: 462, 466
Willow, Mackenzie: 462, 466
Willow, Pacific: 848
Willow, whiplash: 462, 466
Wilsonia citrina, *see* Warbler, hooded
Wilsonia pusilla, *see* Warbler, Wilson's
Wind Cave National Park: 1055–1065, 1277
Windberg, Lamar A., *see* Johnston, John J.
Winstanley, Roy K., Glen Saunders, and William A. Butterner. Indices for predicting total body fat in red foxes from Australia, 1307–1312
Winter severity indices: 206
Winterfat: 374
Wintergreen: 237, 239, 1326
Wintergreen, one-flowered: 239
Wisconsin: 1–9, 84, 211, 262, 283, 299, 311, 868, 911–916, 917–924
Wisdom, Michael J., *see* Johnson, Bruce K.
Wishart, William D., *see* Jorgenson, Jon T.
Witch's hair: 239
Wolf, eastern timber, *see* Wolf, gray

Wolf, gray: 59–64, 71, 226, 237, 256, 259, 718, 742, 1018, 1185, 1236–1244, 1271, 1300, 1305, 1318, 1336, 1339, 1342
a population estimator based on network sampling of tracks in the snow, 968–977
assessing potential gray wolf restoration in the northeastern United States: a spatial prediction of favorable habitat and potential population levels, 1–10 - Invited paper
evaluation of age determination techniques for gray wolves, 674–682
testing for wolf-coyote hybridization in the Rocky Mountains using mitochondrial DNA, 683–689
Wolf, red: 1273
Wolverine: 968
characteristics of wolverine reproductive den sites, 1313–1320
comparison of proposed survey procedures for detection of forest carnivores, 1217–1226
Wood, Petra Bohall, Michael W. Collopy, and Carolyn M. Sererak. Postfledging nest dependence period for bald eagles in Florida, 333–339
Wood, poison: 173
Wood-peewee, eastern: 1411, 1414–1416, 1423–1426, 1491
Wood-peewee, western: 479–481, 490, 493–494
Woodcock, American: 1423–1426, 1490
the use of fields at night by wintering American woodcock, 939–947
Woodcock, Eurasian: 505
Woodpecker, acorn: 487, 490, 493
Woodpecker, Black:
black woodpecker use of habitat and feeding substrates in a managed Scandinavian forest, 11–23
Woodpecker, black-backed:
density and foraging ecology of woodpeckers following a stand-replacement fire, 1359–1372
Woodpecker, downy: 79, 81, 479, 490, 1360, 1414, 1423–1426, 1491
Woodpecker, hairy: 479, 490, 514, 1414, 1423–1426, 1491
density and foraging ecology of woodpeckers following a stand-replacement fire, 1359–1372
Woodpecker, ivory-billed: 20
Woodpecker, Nuttall's: 490
Woodpecker, Pileated: 11, 20–21, 79, 81, 1414, 1491
Woodpecker, red-bellied: 79, 81, 1414
Woodpecker, red-cockaded: 347–352
diet of the red-cockaded woodpecker in the Apalachicola National Forest, 509–517
Woodpecker spp.: 1349, 1356
Woodpecker, three-toed:
density and foraging ecology of woodpeckers following a stand-replacement fire, 1359–1372
Woodpecker, white-backed: 1368
Woodpecker, white-headed: 514
Woodwardia areolata, see Fern, netted-chain
Worm, corn ear-: 1567, 1570
Worm, meningeal: 978
Worm, wax-: 1462
WPA, *see* Waterfowl Production Area
Wren, Bewick's: 490, 492–493
Wren, Carolina: 76, 78–80, 1414
Wren, house: 479, 491, 493–494, 1418, 1422–1427
Wren, marsh: 1490
Wren, rock: 479
Wren, sedge: 1423–1426
Wren, winter: 382–383, 1423–1426
Wright, Robert G., *see* Paisley, R. Neal
——, *see* Rolley, Robert E.
Wyoming: 643–650, 654–655, 663–673, 1020–1034, 1036–1044, 1055–1065, 1382, 1487

X

Xylocopa virginica, see Bee, carpenter
Xyticus transversatus: 513

Y

Yellow hammers: 46
Yellowlegs, greater: 1490
Yellowlegs, lesser: 1490
Yellowstone National Park: 1, 669, 683–684, 687, 821, 829, 1036–1044, 1046–1054, 1170, 1173, 1176
Yellowthroat, common: 79, 1418, 1422–1427, 1434, 1490
Yerkes, Tina, and Cynthia Bluhn. Return rates and reproductive output of captive-reared female mallards, 192–198
Yersinia pestis, see Sylvatic plague
Yew, Canadian: 1169
Yoder, Christi A., *see* Pochop, Patricia A.
Yoshida, Hideyoshi, Kunio Shirakihara, Hirohisa Kishino, Miki Shirakihara, and Akira Takemura. Finless porpoise abundance in Omura Bay, Japan: estimation from aerial sighting surveys, 286–291
Young, Donald D., Jr., and Thomas R. McCabe. Grizzly bears and calving caribou: what is the relation with river corridors?, 255–261
Young, Karen M., *see* Gustafson, Laura L.
Young, Steven J., *see* Whitlaw, Heather A.
Yucca: 341
Yucca elata, see Yucca, soaptree
Yucca, soaptree: 554
Yucca spp., *see* Yucca
Yukon Delta National Wildlife Refuge: 1100–1102

Z

Zanthoxylum fagara, see Lime, wild
Zapus hudsonicus, see Mouse, meadow jumping
Zapus princeps, see Mouse, western jumping
Zapus trinotatus, see Mouse, Pacific jumping

Zea mays, see Corn
Zenaida macroura, see Dove, mourning
Zizania miliacea, see Rice, southern wild-
Zonothrichia albicollis, see Sparrow, white-throated
Zonotrichia atricapilla, see Sparrow, golden-crowned
Zonotrichia leucophrys, see Sparrow, white-crowned
Zostera japonica, see Grass, eel-
Zostera marina, see Grass, eel-